

1 Volume XIV Issue VII Version I

2 Ogundahunsi Dele Sunday<sup>1</sup> and Stephen Adebambo<sup>2</sup>

3 <sup>1</sup> Osun State University, Osogbo, Nigeria.

4 *Received: 14 December 2013 Accepted: 1 January 2014 Published: 15 January 2014*

---

5

6 **Abstract**

7 This study appraises the effect of housing condition on the health of residents in Ijeda-Ijesa  
8 and Iloko-Ijesa, Osun State. Primary data was acquired through structured questionnaires  
9 administered to 25

---

10

11 *Index terms*— housing condition, rural, health, environment, amenities, sanitation, traditional compounds.

12 **1 Introduction**

13 Decent housing is one of the basic needs of every individual, the family and community in general. It reflects the  
14 cultural, social and economic value of a society, as it is the best physical and historical evidence of civilization in  
15 a country. Housing is defined as "the process of providing a large number of residential buildings on a permanent  
16 basis with adequate physical infrastructure and social amenities, (services) in planned, decent, safe, and sanitary  
17 neighbourhoods to meet the basic and special needs of the population" (Federal Ministry of Work and Housing,  
18 2002 in Kuroshi and Bala, 2005). Neutze (1998) in Australian Bureau of Statistics (2006) however affirmed that  
19 inadequate housing can pose serious health risks.

20 Housing conditions play major role in individual health status, as a wide variety of housing features have been  
21 reported to influence the physical, social, economic and the mental well-being of occupants (Turunen et al.  
22 2010). HO (1990) stated that housing should provide:

23 ? protection against communicable diseases, ? protection against injury, poisoning, and chronic diseases, ?  
24 and reduce psychological and social stresses to a minimum A healthy housing environment is one that provides  
25 decent liveable dwellings, clean surrounding of minimum acceptable standard of space and environmental health.  
26 Environmental health is defined as the control of all those factors in man's physical environment that exercise or  
27 may exercise a deleterious effect on his physical, mental or social well-being. In essence, it refers to, among other  
28 things, the control of:-? methods for disposal of excreta, sewage and community wastes to ensure that they are  
29 adequate and safe. ? water supplies to ensure that they are pure and wholesome ? housing to ensure that it is  
30 of a character likely to:

31 ? provide least opportunities for the direct transmission of diseases especially respiratory infections and; ?  
32 encourage healthful habits of the occupants.

33 The nature of housing, its environment and its location plays crucial role in determining its occupants' ways of  
34 life. It affects the way they spend their income, leisure time, health and attitudes to social relations. Scott(1953)  
35 described pure, adequate water and safe removal of waste products as the foundation on which good housing,  
36 good nutrition and healthy living can be built.

37 **2 II.**

38 **3 Justification for the Study**

39 Rural area in Nigeria is defined as a settlement with population less than 20,000; where majority of the people  
40 are engaged in primary activities like farming, fishing, mining, lumbering etc; where the per capital income is  
41 significantly lower than the national average and where the population lacks basic social amenities like; good  
42 drinking water, electricity etc. Rural housing is characterized by poor quality of building, poor construction  
43 methods and materials, poor planning and design principles.

44 Quality housing in rural areas tends to raise the standard of living of the rural dwellers and check the flow of  
45 the rural people to urban areas. It could encourage population movement from the already congested urban areas  
46 to rural areas. In some rural areas, serious environmental problems arise in and around people's homes, often  
47 creating health hazards. Inadequate sanitation, insufficient or contaminated water, uncollected solid waste and  
48 insect infestation are all correlated with rural poverty and lack of environmental services. Respiratory infections  
49 and diarrhoea diseases are two major killers that have been linked to inadequate home and neighbourhood  
50 environments (Nicol, 2006).

### 51 4 III.

### 52 5 The Study Area

53 Ijeda-Ijesa and Iloko-Ijesa are contiguous towns under Oriade Local Government Council, Osun State. Ijeda-Ijesa  
54 is located on latitude 7° 0' 40" 1" north and longitude 4° 0' 50" 1" east while Iloko is located on latitude 7° 38' 1" north  
55 and longitude 4° 48' 1" east. Both share boundaries with Efon-Alaaye in Ekiti State, Ijebu-Ijesa, Iwaraja, Iwoye  
56 and Erinmo. Both being traditional towns, developed virtually without physical plans and this has resulted in  
57 the unregulated mixture of land use activities. Ijeda-Ijesa has a population of about 13,000 while Iloko-Ijesa had  
58 about 17,000. Residential land use in the areas can be classified into two; the old and the new residential areas.

59 The old residential area comprises the traditional quarters in the inner part of the town and most of the  
60 buildings in the areas are built of local materials such as mud and mud blocks, which are sometimes plastered  
61 with cement and roofed with corrugated iron sheets. In addition, the buildings are made up of traditional  
62 compound houses in which each compound is connected to the next by narrow footpaths. Access is mainly by  
63 foot. On the other hand, new residential areas cover a small area in the outer part of the towns. The inhabitants  
64 of Ijeda-Ijesa and Iloko-Iloko engage in agriculture, crafts and light agro-allied industry made up of cassava  
65 processing and distillery.

66 IV.

### 67 6 Materials and Methods

68 Data for this study were generated from primary and secondary sources. The primary data was acquired through  
69 structured questionnaire and interview while secondary data was sourced from local government information office,  
70 journals, magazines, National Population Commission and internet. The sample was generated through stratified-  
71 systematic sampling method. The houses in each of the two villages were divided into four strata/traditional  
72 quarters and twentyfive percent (25%) of the houses in each stratum were systematically selected. In each of  
73 the houses, the household head was administered the question naireto acquire data about housing condition,  
74 facilities, waste generation and management, prevalent diseases and illness, and socio-economic characteristics of  
75 the inhabitants. This was complemented by observations and information from the secondary source. The data  
76 was analysed using descriptive and chi-square statistics to determine the presence or otherwise of relationship  
77 between housing quality and the health status of the people.

### 78 7 a) Hypothesis

79 The hypothesis to be tested is Ho:

80 There is no relationship between housing condition and the health of the occupants V.

### 81 8 Literature Review and Conceptual Framework

82 Recently there have been an increasing amount of research and publications on the influence of living conditions  
83 on the health of occupants (Braubach & Bonnefoy, 2001; Mackenbach & Howden-Chapman, 2002; Thomsson et  
84 al., 2003). However, Lawrence (2000) contends that housing and health issues have still not been well understood  
85 in terms of both the positive and the negative impacts on health and well-being. Scholars have also called for  
86 an extended view of housing and health, integrating the mental and social aspects of housing as a fundamental  
87 setting for living (Dunn, 2000; Williams, 2002). Rapoport (1995) argues that an adequate home is a "special  
88 place" for its inhabitants. It represents a safe physical harbour for the individual, and mentally provides an  
89 opportunity for retreat from the outside world and its pressures. Thus, a more holistic approach is needed to  
90 understand the wide range of interactions between place and health (Williams, 1998).

91 The review of academic literature by Cohen (2011) revealed ten hypothesis regarding the contribution of  
92 affordable housing to health. These are:

93 ? Affordable housing may improve health outcomes by freeing up family resources for nutritious food and health  
94 care expenditures ? By providing families with greater residential stability, affordable housing can reduce stress  
95 and related adverse health outcomes ? Stable, affordable homeownership may positively impact mental health  
96 by increasing the control that homeowners have over their physical environment and minimizing the disruptions  
97 associated with frequent, unwanted moves. However, the stress and disruption associated with mortgage defaults  
98 and foreclosures suggest that unsustainable forms of homeownership may have strong negative impacts on health.  
99 supportive services enables older adults and others with mobility limitations to remain in their homes Akinbamiro  
100 (2012) found significant relationship between health status of residents and housing quality measured in terms

---

101 of age of building, waste disposal method, frequency of collection, management of waste water, type of toilet,  
102 use of toilet, walling materials, type of roofing materials, adequacy of electricity, type of kitchen and state of  
103 repairs of building in Odi-Oloworesidential district, Osogbo, Osun state, Nigeria. He recommended public health  
104 campaign, wider coverage of waste removal agency and public sector intervention in the form of improving access  
105 to housing fund for rehabilitation, renovations and redevelopment.

106 Furthermore, there is growing evidence that housing conditions closely align with the health of individuals and  
107 the connections people have with each other and their community. Inadequate in-house space has been identified  
108 as a risk factor for the propagation of respiratory infections due to bacterial causes and indoor air pollution. A  
109 high risk of acute lower respiratory infection was associated with increasing number of persons per room and  
110 high level of indoor air pollution in a study made among children under five years in Addis Ababa (Getahun et  
111 al, 2010).

112 Bonnefor et al (2004) concluded from the study based on empirical data collected from 259 dwellings  
113 and 601 residents, that several housing conditions do have impact on the health perception of their residents.  
114 Noise annoyance is recognized as one of the most prevalent problems affecting residential health and wellbeing.  
115 However, it proved difficult to identify an aspect having an overall dominant influence on health. The survey  
116 clearly indicated the effect of rehabilitation work on residential satisfaction, and raised expectations that housing  
117 improvements can lead to better health. Nicol (2006) in his work on eight European cities identified a definite  
118 relationship between damp/mouldy homes and anxiety/depression and migraine/frequent headaches from the  
119 group of chronic illnesses; diarrhoea and cold/throat illnesses from the group of acute illnesses; and asthma,  
120 wheezing, eczema, watery eyes/eye inflammation, headaches from the list of symptoms. He however cautioned  
121 that this relationship does not imply cause and effect. Many illnesses appear to be mental conditions, and even  
122 the physical symptoms are of the sort which could be regarded as being the emotional response to circumstances  
123 -such as feeling trapped in poor housing.

124 It is evident from literature that current awareness of the housing-health-relationship varies from country to  
125 country. This is due to housing stock differences and climatic conditions, and a product of different policies and  
126 scientific knowledge. For instance, the UK has recognized that safety hazards represent a major housing and  
127 health problem in its housing stock (Raw and Hamilton, 1995). This is a result of matching and analysing health,  
128 safety and house condition datasets. However, a housing and health symposium arranged by WHO in June 2001  
129 showed that next to the awareness, the priority of problems differs strongly from country to country, as they  
130 are influenced by cultural, social, economic, building, climatic and geographic factors (WHO, 2001). Therefore,  
131 solutions to reduce or remove hazards will vary internationally depending on the cause and on buildings factors  
132 in different peculiar environment.

## 133 9 VI.

### 134 10 The Concept of Habitability

135 The concept of habitability reveals the level of satisfaction derived by the tenants or residents. In order to  
136 evaluate housing habitability, there are several research approaches that can be adopted, all based on "users  
137 reaction". This concepts reveals that housing is more than shelter and looks at the interaction of four main  
138 subsystem; tenant (man), shelter/dwelling, environment and institutional management which interact actively  
139 to produce the level of satisfaction and the level of satisfaction in turn determines the level of housing needs in a  
140 given place (Onibokun, 1985). However , habitability, as used in the system approach, assume the fact that what  
141 constitute habitability varies according to the ambient circumstance and as such the habitability of a housing  
142 at a particular point in time can only be defined meaningfully in the relative terms or sense rather than to the  
143 absolute sense.

144 Considering "man" who is the occupant of the house for instance, some of his socio-economic characteristics  
145 such as marital status, family size, income level and others need to be examined. In addition, the culture of the  
146 group to which the occupants belong should be given adequate attention.

147 Considering the "shelter" aspect of the concept, there is need to study the adequacy or otherwise of the  
148 physical design of the house in terms of ventilation, number of rooms, size of rooms, toilet and storage facilities  
149 and the enhancement of privacy of individual and the family. Thus, a house is inadequate if the provision of  
150 sewage disposal is not available or faulty. Similarly, a house with water closet toilet system but constantly runs  
151 short of water supply reveals a bad situation.

152 Considering the institutional arrangement, this composed of the management and maintenance of housing.  
153 For example, one can talk about how reliable the essential services will enhance healthy living. Also, there is  
154 need to consider the availability of protective services such as police, security, mortgage service and cleanness of  
155 the neighbourhood by the relevant authority.

156 Considering the environmental sub-system of the concept, this tends to emphasize the role of physical planning  
157 in housing and the provision of environmental facilities such as open space, parking space, recreation, good roads,  
158 shopping centres and other amenities like school, post office, club, cinema, night club and so on. Also, the beauty  
159 of the environment needs to be considered. Thus, one of the most outstanding environmental problems associated  
160 with the pattern of residential landuse in rural areas is the predominance of sub-standard housing built largely  
161 in areas having no accessible streets.

## 11 VII.

### 12 Results and Discussion

As shown in table 1, 93% of the houses sampled from the two towns were less than 26 years old (91% in Ijeda-Ijesa and 96% in Iloko-Ijesa). Owing to the construction method and materials used, buildings do not last long in the rural areas; more than 50% of the buildings in both towns were built with mud. Regarding flooring materials, the data revealed that 94.2% in Ijeda-Ijesa and 74.0% from Iloko-Ijesa reported cemented flooring. In addition, the data revealed that corrugated iron sheets were predominantly the roofing material in the study areas; 98.0% of the respondents in Ijeda-Ijesa and 74.0% in Iloko-Ijesa. This implies that the two communities have access to similar building materials possibly due to geographical reasons. Access to the houses was mainly by foot as the data indicates.

Typical of most rural communities, toilet facilities were not well developed in the study areas. Table 2 showed that 16% of the total sample do not use toilet, preferring to defecate in the bush while 32% of the total sample use the open space around their houses. Both cases have negative implications for the health of the residents. Sharing of facilities is a common practice in rural communities; hence, respondents in the study areas reported sharing toilet facility among households.

Malaria was the most reported ailment in the two communities as reported by 53% of the total sample (49.3% of respondents in Ijeda-Ijesa and 57.3% in Iloko-Ijesa) as Table 3 reveals. Other notable ailments include dysentery accounting for 20% of the total sample disaggregated as 19.6% in Ijeda-Ijesa and 20.8% in Iloko-Ijesa. 41% of the total sample attributed the cause of the ailment to mosquito bite while 20% attributed it to bad sanitation and hygiene; both of which are traceable to inadequate housing.

Pearson chi-square analysis on the variables that directly affect the health of the residents in the housing condition reveals significant relationship between age of the building and health of residents in Ijeda-Ijesa ( $p$  value  $< 0.005$ ) and the reverse was the case in Iloko-Ijesa ( $p$  value  $> 0.05$ ). The hypothesis was therefore accepted in the case of Iloko-Ijesa while in Ijeda-Ijesa, the null hypothesis was rejected. Furthermore, building type was established to have a stronger effect on the health condition of residents in Iloko-Ijesa than the residents in Ijeda-Ijesa while building design was reported to have direct effect on the health of the residents in Ijeda but the reverse was the case in Iloko. This implies that in totality, there was significant relationship between the housing condition and the health of the residents in the study area. Nonetheless, household size and health of resident revealed direct relationship in Ijeda-Ijesa, ( $P < 0.05$ ) whereas in Iloko-Ijesa the analysis revealed no significant difference between number in a household and the health of residents in such houses ( $P > 0.05$ ).

## 13 VIII.

### 14 Conclusion

This study revealed that housing conditions play a vital role in healthy living and life sustainability. Among the notable findings of this study is the fact that there is a relationship between housing condition and the health of the residents. Although this was more visible in one of the two communities, other studies (Faelker, Pickett & Brison, 2000; Fullilove & Fullilove, 2000; Evans et al, 2000; Krieger & Higgins, 2002; Shaw, 2004) have proved that housing condition did affect the health of residents. From the analysis and the chi-square test, it can be safely concluded that there is relationship between housing condition and human health.

## 15 IX.

### 16 Recommendations

The following measures are therefore recommended for the improvement of the study area and the quality of housing.

Effective enforcement of building codes: The development control department of the local government should properly enforce the building codes right from the plan approval stage up to the implementation stage to ensure that buildings are constructed according to the approved specifications.

Volume XIV Issue VII Version I

## 17 ( B )

Year 2014

## 18 Global Journal of Human Social Science

Public Education: There is need for public enlightenment about the causal relationship between housing condition and healthy living. This will go a long way to improve the health of the people. This could be done by the local government through the sanitation workers working as extension officers to enlighten the public of the importance of maintaining healthy environment and ensuring that minimum requirements for healthy housing are observed.

Financial assistance to the residents: Government at all levels should make soft loans available to rural residents for erecting healthy housing units. Such loans should be monitored and properly processed to prevent misuse

---

217 and mismanagement. Such a loan could also be procured to rehabilitate and renovate buildings to the required  
218 standard.

219 Housing policy: Government at the three levels should work together to design and implement housing policies  
220 that will ensure easy access to affordable, adequate and safe housing for all.

221 Design of master or development plan: One of the crucial tools of physical planning is the master plan. The two  
222 villages have no master plan that will specify the direction of development and give specification for structures in  
223 the towns. This led to unregulated and uncoordinated development which allowed the erection of sub-standard  
224 and unhealthy buildings in dirty environments. It is imperative that master plan be designed for the towns to  
regulate their growth and direct their development. <sup>1 2</sup>

## 2

IJEDA

ILOKO

Figure 1: Table 2 :

## 3

IJEDA

ILOKO

Figure 2: Table 3 :

## 4

	IJEDA		ILOKO		
x 2	df	p value	x 2	df	p value

[Note: 8 ( B )]

Figure 3: Table 4 :

225

---

<sup>1</sup>Housing Condition and Health Relationships in Ijeda-Ijesa and Iloko-Ijesa, Osun State, Nigeria

<sup>2</sup>© 2014 Global Journals Inc. (US)



- 226 [European Journal of Public Health] , *European Journal of Public Health* 12 p. .
- 227 [Rapoport et al. ()] 'A critical look at the concept 'home'. A Rapoport , D N Benjamin , D Stea , D Saule . *The*  
228 *home: Words, interpretations, meanings and environments*, (Aldershot, Ashgate) 1995. p. .
- 229 [Evans et al. ()] 'An epidemiological study of the relative importance of damp housing in relation t1o adult  
230 health'. J Evans , S Hyndman , S Stewart-Brown , D Smith , S Petersen . doi: 10.116/jech.54.9.677. *J.*  
231 *Epidemiol. Community Health* 2000. 54 p. .
- 232 [Raw and Hamilton ()] *Building regulation and health*, C Raw , R M Hamilton . 1995. CRC, Watford.
- 233 [Community Housing and Infrastructure Needs Survey ()] <http://www.abs.gov.au/websitedbs/>  
234 **Retrieved21/12/08** *Community Housing and Infrastructure Needs Survey*, 2006.
- 235 [Alemayehu et al. ()] 'Determinants of delay in malaria treatment-seeking behaviour for under-five children  
236 in south-west Ethiopia: a case control study'. Getahun Alemayehu , Kebede Deribe , Amare Deribew .  
237 <http://www.malariajournal.com/content/9/1/320> *Malaria Journal* 2010. 2010. 9 p. 320.
- 238 [Kuroshi and Bala ()] 'Development of Housing Finance in Nigeria'. P A Kuroshi , K Bala . *Nigerian Journal of*  
239 *Construction Technology and Management* 2005. 6 (1) p. .
- 240 [Scott ()] *Health considerations involved in the treatment and disposal of sewage from isolated buildings in Design*  
241 *and Operation of Septic Tanks. World Health Organization Monograph Series*, J A Scott . 1953.
- 242 [Dunn ()] *Housing and Health Inequalities: Review and Prospects for research, Housing studies*, J R Dunn . 2000.  
243 15 p. .
- 244 [Braubach and Bonnefoy ()] *Housing and Health: the Eastern European Challenge, Open House International*,  
245 M Braubach , X Bonnefoy . 8.22. 2001. 26.
- 246 [Krieger and Higgins ()] 'Housing and health: time again for public health action'. J Krieger , D L Higgins .  
247 10.2105/AJPH.92.5.758. *American Journal of Public Health* 2002. 92 p. .
- 248 [Shaw ()] 'Housing and public health'. M Shaw . doi: 10.1146/ annurev.publhealth.25.101802.123036. *Annual*  
249 *Review of Public Health* 2004. 25 p. .
- 250 [Bonnefoy et al. ()] *Housing conditions and self-reported health status. A study in panel block in three cities of*  
251 *Eastern Europe*, X Bonnefoy , M Braubach , D Krapavickaite , D Ormandy , I Zurlyte . **Retrievedfromwww.**  
252 **euro,who.int/Document/NOH/HBEpaperfinal.pdf** 2004.
- 253 [Onibokun ()] *Housing in Nigeria: A Book of Reading*, A Onibokun . 1985. Nigeria. Nigeria Institute of Social  
254 and Economic Research (NISER)
- 255 [Mackenbach and Howden-Chapman ()] J P Mackenbach , P Howden-Chapman . *Houses, neighbourhoods and*  
256 *health*, 2002.
- 257 [Faelker et al. ()] 'Socioeconomic differences in childhood injury: a population based epidemiologic study in  
258 Ontario'. T Faelker , W Pickett , R Brison . *Canada. Injury prevention* 2000. 6 (3) p. .
- 259 [Cohen ()] *The Impacts of Affordable Housing on Health: A Research Summary. INSIGHTS from Housing Policy*  
260 *Research, Centre for Housing Policy*, Rebecca Cohen . 2011. Washington DC.
- 261 [Nicol (2006)] *The Relationship between Housing Conditions and Health -Some Findings from the WHO LARES*  
262 *Survey of 8 European Cities. Paper presented at the ENHR conference "Housing in an expanding Europe:*  
263 *theory, policy, participation and implementation*, Simon Nicol . 2006. July 2006. Ljubljana, Slovenia 2 -5.
- 264 [Lawrence ()] 'Urban Health a new agenda'. R J Lawrence . *Reviews on Environmental Health* 2000. 15 (12) p. .
- 265 [Akinbamiro ()] 'Urbanization and Socio Economic Position Analysis -An Approach to Housing and Health  
266 Relationships in Residential Districts of Nigerian Cities'. O B Akinbamiro . *The Built & Human Environment*  
267 *Review* 2012. 2012. 5.
- 268 [Fullilove et al. ()] 'What's housing got to do with it?'. M T Fullilove , R E Fullilove , Iii . 10.2105/AJPH.90.2.183.  
269 *American Journal of Public Health* 2000. 90 p. .