

Global Journal of Human-social science: H Interdisciplinary

Volume 15 Issue 7 Version 1.0 Year 2015

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-460x & Print ISSN: 0975-587X

Factors Leading to Adoloscence Stress among School Children

By Dr. J. Jasmine

Research Institute of Health Sciences, India

Abstract- A study to assess the common factors leading to stress among adolescents in selected schools, Puducherry. A descriptive study was conducted and the objective of the study were to assess the level of stress among adolescent school-children, to identify common factors leading to stress among adolescents and to identify the association between demographic variables and stress. With assumption "Adolescent students will have stress" and the investigator proceeded on with the study. The study was conducted at various Government Higher Secondary Schools in and around Puducherry. Convenience sampling technique was used to obtain sample. The sample comprised of 500 adolescent students from eighth, ninth and tenth standard (boys and girls) of Government Higher Secondary Schools 'during the study period'. "The tool which was used for the study was Modified adolescent adjustment scale. The major findings of the study are many of the students were girls 69.6% (348). Majority of parents were unskilled workers 96.0% (480). 80.0% (400) student's parent income was above 2000 per month. 50.6% (253) of the student belongs rural area and 49.4% (247) were belongs to urban area. The overall stress score among adolescent school children was 58.63%. 56.0% (280) had moderate level of stress. The adolescent students had more stress score in school and teacher related than other aspects of stress i.e., 72.88% and 62.50% respectively.

Keywords: stress, factors leading to stress, school children, adolescence.

GJHSS-H Classification: FOR Code: 930499



Strictly as per the compliance and regulations of:



© 2015. Dr. J. Jasmine. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License http://creativecommons.org/licenses/by-nc/3.0/), permitting all non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Factors Leading to Adoloscence Stress among School Children

"Healthy Adolescents for a Wealthy Nation"

Dr. J. Jasmine

Abstract- A study to assess the common factors leading to stress among adolescents in selected schools, Puducherry. A descriptive study was conducted and the objective of the study were to assess the level of stress among adolescent school-children, to identify common factors leading to stress among adolescents and to identify the association between demographic variables and stress. With assumption "Adolescent students will have stress" and the investigator proceeded on with the study. The study was conducted at various Government Higher Secondary Schools in and around Puducherry. Convenience sampling technique was used to obtain sample. The sample comprised of 500 adolescent students from eighth, ninth and tenth standard (boys and girls) of Government Higher Secondary Schools 'during the study period'. The tool which was used for the study was Modified adolescent adjustment scale. The major findings of the study are many of the students were girls 69.6% (348). Majority of parents were unskilled workers 96.0% (480). 80.0% (400) student's parent income was above 2000 per month. 50.6% (253) of the student belongs rural area and 49.4% (247) were belongs to urban area. The overall stress score among adolescent school children was 58.63%. 56.0% (280) had moderate level of stress. The adolescent students had more stress score in school and teacher related than other aspects of stress i.e., 72.88% and 62.50% respectively.

The Feelings of inferior to others was the first factor for stress among adolescent students in general stress i.e., 72.4 % (362) rank one. Parental irritation was the first factor i.e., 68 % (340) and parent's interference with every affair was the second factor for stress in home related stress. In school related stress, 67.2 % (336) students perceived that the school was a burden to them and they belonged to rank one category and 67 % (335) of students did not have sufficient freedom in the class room and they belong to rank two category. Regarding teacher related stress, the first factor on stress was that their teacher did not teach the subject content according to their understanding level i.e., 66.2% (331). Second factor for stress was that their teachers extract lot of other works from them at the school i.e., 61.4% (307). The first factor for stress in peer related stress was that they were not maintaining friendship with their companions. i.e., 74.4 % (372) and the second factor for stress was that they did not like their friends at all i.e., 74.2 % (371). Since, the nurses holding pivotal role in the health-care delivery system, it is needless to say that they can actively take part in alleviating stress of school children and to avoid stress related problems.

Keywords: stress, factors leading to stress, school children, adolescence.

Author: Professor, Con, Mother Theresa Post Graduate and Research Institute of Health Sciences, Puducherry. e-mail: jas visu@yahoo.co.in

I. Introduction

oday's world is highly advanced by means of tremendous development in science, economics, politics, education, technology, etc., and these profoundly influence not only locally but also globally. People started living with maximum facilities, with minimum strain. So life is too mechanical and people are subjected to a high degree of stress that predisposes them to many problems.

Young adolescents have greater risk of developing stress due to various factors, because adolescent period is very crucial, since these are the formative years in life of an individual when enormous physical, physiological and psychological changes take place and are marked by changes in behavior, expectations and relationships with both parents and peers.

During the early adolescence, the tasks normally accomplished are physical maturation, membership in the peer group and heterosexual relationship. During later adolescence, the tasks include autonomy from parents, sex role identity, morality and choice of career. If these tasks are not achieved and properly resolved, role-confusion results, which may cause problems like mood changes, personality disorders and inability to take on mature roles in society.

The adolescent years are associated with numerous biological, psychological, and social changes. The family, school, peers, and other interpersonal domains can all be sources of stress (Compass, 1987). Stressful events encountered by adolescents have been shown to be related to psychological as well as physical problems (Johnson, 1986). It has been suggested that frequent minor stresses, such as daily hassles, may be better predictors of mental and physical difficulties than are major but more infrequent life events, such as the death of a loved one (Kanner, Coyne, Schafer & Lazarus, 1981; DeLongis, Coyne, Dakof, Folkman & Lazrus 1982.

II. Background of the Study

Stress may interfere with a person's abilities to meet basic needs, function on the job, or solve daily

problems. Negative stress can become excessive and cumulative. It can build up over time, spanning several different events or problems and become overwhelming to the individual and reach a crisis stage. Such unresolved negative stress can adversely affect individuals both physically and emotionally. It can contribute to serious illness such as hypertension, coronary artery disease, and peptic ulcer, in addition to unpleasant feelings of powerlessness, helplessness or fear. In worst cases, unresolved negative stress can lead to dependency, depression or even suicide.

Education plays a major role in each individual life. The society also believes that it is an important status and parents want their children be the best. Mostly now-a-days parents have one or two children in their family, and joint family system is also declining while interaction between others is getting minimized. Moreover, the present educational system places emphasis on book reading and the curriculum depends upon only examination for evaluating a student. Other talents/potential/interests of the students are not given much weight age, including extracurricular activities. Government also encourages pre-K.G system of schools where oral and play activities play a major role as the parents expect more. In early stage itself the bitter experiences registered in the mind of the child create an aversion towards studies. Parents make their children to learn more by imposing their own wishes. Parental compulsion and lack of supervision influences a lot in the children, though the students are intelligent enough to get good marks, she/he finds it difficult to concentrate Adults commonly tell young people that the teenage years are the "best years of your life". Adolescence is a sensitive and important phase in an individual's life during which a multidisciplinary approach must be taken to both understanding and solving his/her problems. An estimated 25% of India's population of 138 million is aged 15-25 years. A wide range of issues and concerns face adolescents in India, including nutritional deficiencies, reproductive health problems and stressrelated problems.

a) Statement of the Problem

A study to assess the stress among adolescents in selected schools, Puducherry.

b) Objectives

- 1. To assess the level of stress among adolescent school-children.
- To identify common factors leading to stress among adolescents.
- To identify the association between demomographic variables and stress.

c) Hypotheses

 H_1 : There is a significant impact of demographic variables on stress among adolescent school children.

III. Materials and Methods

A descriptive and exploratory design was selected. The independent variables used for the study and stress of adolescent students. The setting selected for this study was Government higher secondary schools of Puducherry.

The sample consists of 500 adolescent students between the age group between 13 to 17 years, studying from eighth to tenth standard at selected Government Higher Secondary School, Puducherry. Simple random and convenience sampling technique was followed to select the sample. The tool developed for the study are questionnaire for demographic data, questionnaire to assess the level of stress that is adolescent adjustment scale.

For this scale, adjustment is defined by the authors as the individual's orientation towards his parents, peers, school and himself in terms of the satisfaction he derives from his interactional relationship with significant other and himself. This scale measures the adjustment of self towards home school, peers, teachers and general matters. It is a scale developed by the Thurtone's method of equal appearing intervals using 190 judges.

This scale consists of 40 items: home (9), School (8), teacher (8), peers (8) and general (7). For each area of adjustment a separate score is obtained. The total of 5 scores gives the score of total adjustment. In each subscale the sign should be used while adding the sum at the end. High positive scores indicate high adjustment and high negative scores indicate mild or mal-adjustment. In this study, for the purpose of accuracy the scores.

IV. RESULTS AND DISCUSSION

A descriptive study on the assessment of common factor leading to stress among adolescence .Majority of students were in the age group of below13-15 years i.e., 65.0% (325).Gender of students were girls i.e., 69.6% (348).154 (30.8%) students, 37.2% (186) students and 32.0% (160) students were belongs to eighth, ninth and tenth standard respectively. 80.0% (400) of students parents income were unskilled workers. About 80.0% (400) students parents income were > Rs.2000/month.50.6% (253) students belonged to rural area and 49.4% (247) students to urban area.

Frequency and percentage of most important factors leading to stress N=500

Measurement Factors	Frequency (f)	(%)	Rank
GENERAL STRESS			
I feel inferior to others	362	72.4	1
I like frivolous jokes	250	50.0	2
I get angry easily	227	45.4	3
HOME RELATED STRESS			
My parents get annoyed with me easily	340	68.0	1
My parents interfere with me in every affair	336	67.2	2
My neighbors are not good people	330	66.0	3
SCHOOL-RELATED STRESS			
The School is burden for me	336	67.2	1
We don't have sufficient freedom in the class	335	67.0	2
I hesitate to speak before others in the class	329	65.8	3
TEACHER-RELATED STRESS			
My teacher does not make me understand anything properly	331	66.2	1
The teacher takes lot of work from us in the school	307	61.4	2
I get frightened in the presence of my teacher	263	52.6	3
PEER-RELATED STRESS			
I am not friendly with my companions	372	74.4	1
I don't like my friends at all	371	74.2	2
My friends in the school tease me	343	68.6	3

The Feelings of inferior to others was the first factor for stress among adolescent students in general stress i.e., 72.4 % (362) rank one. Parental irritation was the first factor i.e., 68 % (340) and parent's interference with every affair was the second factor for stress in home related stress. In school related stress, 67.2 % (336) students perceived that the school was a burden to them and they belonged to rank one category and 67 % (335) of students did not have sufficient freedom in the class room and they belong to rand two category. Regarding teacher related stress, the first factor on stress was that their teacher did not teach the subject content according to their understanding level i.e., 66.2% (331). Second factor for stress was that their teachers extract lot of other works from them at the school i.e., 61.4% (307).

The first factor for stress in peer related stress was that they were not maintaining friendship with their companions. i.e., 74.4 % (372) and the second factor for stress was that they did not like their friends at all i.e., 74.2 % (371).

V. Conclusion

From the nutshell of this study it has been proven that majority of student possess moderate level of stress. Moderate level of stress is eustress which is challenging and it is essential for school going student but when analyzed the factors for stress it shows that the student were highly sensitive to stress. If the

adolescent are handled properly by the teachers and parent it paves a way to come out from stress happily.

BIBLIOGRAPHY

- 1. Richard E.Behrman.Neleon: TB of pediatrics. 2nd ed. Prusin Books Pvt. Ltd.; Bangalore: p 10-14.1993.
- 2. Fuller J. Health Assessment: A Nursing approach. 3rd edition. LW&W;Philadelphia: p.478-480. 2000.
- 3. Giannotta F, Settanni M et al, J Adolesc.Results of an Italian school-based expressive writing intervention trial focused on peer problems. Dec;32(6):1377-89. Epub; 2009 Jul 31.
- 4. Torsheim T, Wold B, J Adolesc. School-related stress, support, and subjective health complaints among early adolescents: a multilevel approach.24(6):701-13. 2001 Dec.
- Arun P, Chavan BS. Stress and suicidal ideas in adolescent students in Chandigarh. Indian J Med Sci; 63(7):281-7. 2009 Jul.
- Louise Rebraca, ShivesBasu. Concepts of Psychiatry Mental Health Nuring. 7thed.Wolterskluvu India (Pvt) Ltd; New Delhi: p 549. 2009.
- 7. Myers D.G. Social psychology. 8th edition. India: Tata McGraw Hill;p.64. 2005.
- 8. Pantette D. Rollanit, Joyee J. Hamlin. Mcosloy's Review series: Pediatric Nursing. Mosby; USA, p 2.1996.
- Judith Haber, Pamela Puie Hoskins. Comprehensive Psychiatry Nursing. 3rded. MC Craw Hill Book

- Company; New York: p 447, 44, 112, 920, 921, 1053.1987.
- 10. K.Lalitha. Mental Health Psychiatry Nursing. I ed. VMD Book House; Bangalore: p 588.
- 11. Karan chung, RobutaK.Nelson. The Lippinott Review series Pediatric nursing. 2nded. J.B. Lipinincottcompany; Philadelphia: p 75-91. 1992.
- 12. KP Neeraja. Text Book of Growth &devt. For Nursing Students. I ed.Jayee Medical Publishers (Pvt) Ltd; p 201-242. 2006.
- 13. Laurence C.Kolb, H.KeithH.Brodie. Modern Clinical Psychiatry.X ed. with Saunders Company; Tokyo: p 74,695-696. 1982.
- 14. Lippincott, William and Wilkins. Health Assessment: A Nursing Approach. 3rd Ed. Fuller (J); Philadelphia:
- 15. Louise Rebraca Shivers. Basic Concepts of Psychiatry: Mental Health Nursing. 2nded. J.B. Lippincott company; New York: Pp: 499. 1990.

Website

- 16. 172 Journal of early adolescence/ may 2003 from
- 17. Family transaction and adjustment during early adolescence fromhttp://jea.sagepub.com
- 18. www.currentnursing.com
- 19. www.google.com
- 20. www.nursingtimes.com
- 21. www.nursingzone.com
- 22. www.pondicherry.org
- 23. www.puducherrycensus.om