



GLOBAL JOURNAL OF HUMAN-SOCIAL SCIENCE: B
GEOGRAPHY, GEO-SCIENCES, ENVIRONMENTAL SCIENCE &
DISASTER MANAGEMENT

Volume 16 Issue 2 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-460X & Print ISSN: 0975-587X

A Review of Flooding and Flood Risk Reduction in Nigeria

By Nkwunonwo, Ugonna C.

University of Nigeria, Nigeria

Abstract- The prevalence of flooding within Nigeria which has been generally attributed to climate change and poor urban planning is an issue of critical importance within the context of national development. Over the period 1985 to 2014, flooding in Nigeria has affected more than 11 million lives with a total of 1100 deaths and property damage exceeding US\$17 billion. Although more frequent floods are recorded in Niger, Adamawa, Oyo, Kano and Jigawa states possibly due to the influence of rivers Niger, Benue, Ogun and Hadeja, Lagos state seems to have experienced most of the floods in the country. With rapid population growth and urbanization in the country the risk of flooding to human lives and properties assumes critical dimensions. Critically, poor awareness of the hazard is a major impasse towards its management. This creates a significant gap in the knowledge of how to improve on the current efforts towards addressing the challenges of flooding in Nigeria. Since attempts to tackle the hazard appear to be limited, the present study is driven by the need to identify those limitations in the flood management efforts in Nigeria. Possible way-forward are suggested based on a critical review of flooding and its management in Nigeria, allied with globally acknowledged 'best practices' in flood risk reduction and lessons learned from other countries' experiences of flooding.

Keywords: *flooding, developing countries, nigeria, flood risk, climate change, flood modelling, flood vulnerability assessment.*

GJHSS-B Classification : FOR Code: 920407, 300899



Strictly as per the compliance and regulations of:



A Review of Flooding and Flood Risk Reduction in Nigeria

Nkwunonwo, Ugonna C.

Abstract- The prevalence of flooding within Nigeria which has been generally attributed to climate change and poor urban planning is an issue of critical importance within the context of national development. Over the period 1985 to 2014, flooding in Nigeria has affected more than 11 million lives with a total of 1100 deaths and property damage exceeding US\$17 billion. Although more frequent floods are recorded in Niger, Adamawa, Oyo, Kano and Jigawa states possibly due to the influence of rivers Niger, Benue, Ogun and Hadeja, Lagos state seems to have experienced most of the floods in the country. With rapid population growth and urbanization in the country the risk of flooding to human lives and properties assumes critical dimensions. Critically, poor awareness of the hazard is a major impasse towards its management. This creates a significant gap in the knowledge of how to improve on the current efforts towards addressing the challenges of flooding in Nigeria. Since attempts to tackle the hazard appear to be limited, the present study is driven by the need to identify those limitations in the flood management efforts in Nigeria. Possible way-forward are suggested based on a critical review of flooding and its management in Nigeria, allied with globally acknowledged 'best practices' in flood risk reduction and lessons learned from other countries' experiences of flooding. It is argued that more robust and scientific approaches to flood risk reduction such as: flood modelling and assessment of vulnerability to flooding are lacking. Ultimately, this study makes recommendations based on three key issues, one of which is to align the focus of flood risk reduction in Nigeria with the objectives of such a task in more developed countries such as the United States, United Kingdom and the Netherlands.

Keywords: flooding, developing countries, nigeria, flood risk, climate change, flood modelling, flood vulnerability assessment.

I. INTRODUCTION

Concerns for flooding has increased in recent times due to climate change (especially in more frequent and severe rainfall events), sea level rise, rapid population growth and urbanization, the level of awareness of flood risk, the limited efforts towards flood disaster risk reduction in many places and the exposure and vulnerabilities of large numbers of human population (Peduzzi et al. 2011, Gill et al. 2004, Action aid 2006, Raaijmakers et al. 2008). The impacts of flooding reported in the last two decades have been significant, amounting to tens of billions of US dollars (Guha-Sapir et al. 2013). Over 3700 flood disasters are recorded in the EM-DAT database, covering the period

1985 to 2014 (EM-DAT 2014). These events were responsible for hundreds of thousands of deaths mainly in Asia (most notably China, Thailand and Bangladesh) and adversely affected billions of people mostly through homelessness, mortality (mainly through drowning), physical injuries, fecal-oral and rodent-borne diseases, vector-borne diseases (mainly in tropical areas) and psychological conditions through depression, anxiety and post-traumatic stress (Ahern et al. 2005, Hunter 2003, Few et al. 2004, Tapsell & Tunstall 2008, Keith, 2013).

In Nigeria, flooding and solutions to its impacts are critical issues (Obeta 2014). With history of devastating floods which affected millions of human populations and caused fiscal losses amounting to billions of US dollars, the importance of exploring more realistic flood risk mitigation measures for Nigeria should be paramount (OCHA 2012). Flooding in Nigeria are fluvial (resulting from rivers overtopping their natural and manmade defences), coastal (affecting mainly the coastal areas) and pluvial (flash, arriving unannounced following a heavy storm) in nature and have been a major cause of concern for rural areas and cities within the country (Houston et al. 2011, Andjelkovic 2001, Bashir et al. 2012, Douglas et al. 2008). Whilst stake holders' efforts towards tackling the hazard have not yielded satisfactory results, they have been criticized as ad-hoc, poorly coordinated, non-generalizable and not well established (Obeta 2014). However, in the light of 'best practices' in flood risk reduction and 'lessons learned' from other countries' experiences of flooding, it can be argued that such stake holders' efforts are limited due to lack of quality data, which are needed to systematically tackle flooding, poor perception of flooding among the general populace, lack of funds and improved technology as well as poor political will power.

The growing number of flood victims and the constrained sustainable development caused by flooding within the country suggest that much of what is known regarding flooding in the country is deficient on remedies. More critical is the subject-matter of Nigeria being one of the most populated countries of the world with population size estimated at over 170 million people (World Bank 2013). Considering the theory that future population growth will drive future flood risk, this population size along with future estimates spurs interest towards building the capacities of human populations to cope with flooding.

Author: Department of Geoinformatics and Surveying, University of Nigeria, Enugu Campus. e-mail: ugonna.nkwunonwo@unn.edu.ng



The widespread flooding in Nigeria along with how to deal with associated challenges has received considerable attention, although more discussions focused on local communities, geopolitical regions and states within the country (for examples: Aderogba 2012a, Adeoye et al. 2009, Ali & Hamidu 2012, Bashir et al. 2012, Agbonkhese et al. 2014, Adedeji et al. 2012, Terungwa & Torkwase 2013, Obeta 2014, Ologunorisa 2004, Ojigi et al. 2013, Aderogba et al. 2012, Ogwuche & Abah 2014, Nwilo et al. 2012, Adelekan 2010). In view of the causes of the hazard, climate change, poor urban planning and environmental management along with anthropogenic activities have been generally listed (Adeoye et al. 2009, Aderogba et al. 2012, Adeoye and Rustum 2011). Although the lack of definite measures and capacity to radically tackle the hazard within the country has been arguably overwhelming, concerted efforts in the form of environmental and infrastructural planning, policy directives, social responses, physical intervention and enhanced public enlightenment programmes have been extensively considered (Agbola et al. 2012, Ali & Hamidu 2012, Bashir et al. 2012). Other measures considered are community based early warning systems (Agbonkhese et al. 2014), humanitarian aids from government and private sectors (Adeoye et al. 2009) and appropriate level of preparedness and capacity building (Adedeji et al. 2012). The need for science and technology to embrace environmental education in Nigeria is highlighted (Terungwa & Torkwase 2013) while food hazard mapping as well as assessment of vulnerabilities of lives and properties which play key roles in building community resilience to flooding is considered (Adeaga 2008, Ajibade et al. 2013, Adelekan 2010, Ologunorisa 2004). The importance of reinforcing present strength and capacities of all agencies, including local communities within Nigeria to deal with flood hazard situations is underlined (Obeta 2014).

Despite the attention flooding received in these studies, still the question: "what is the remedy to the recurrent flooding in Nigeria?" remains unanswered. The lack of flood data and other ancillary data which is a major setback towards containing the threats of flooding in the country were raised but not addressed. Attention has solely rested on general knowledge of the causes, impacts and remedies of flooding; suggesting that the broad view of the situation in these studies has been lop-sided and sloppy. The need for more scientific approaches such a flood modelling which drives flood risk management in more developed countries was not highlighted. A general critique, which should provide a nuanced understanding of the strengths and limitations of present efforts to addressing the threats of flooding in the country, is lacking and gaps between increasing flood occurrences and vulnerabilities of local communities were not identified.

For this reason, the present study besides advancing existing knowledge relating to flooding in Nigeria is an attempt to provide answers to key questions with regards to remedy to flood challenges in Nigeria. The importance of flood modelling in flood risk reduction and the need for it to be included in the country's present efforts at reducing the impacts of flooding is emphasized. The study generally is driven by three key issues – (1) to demonstrate the roles more robust and scientific techniques such as flood modelling can play in flood risk reduction within the context of Nigeria, (2) to align the focus of flood risk reduction in Nigeria with the objectives of such a task in more developed countries such as the US, the Netherlands and United Kingdom, and (3) to promote flood risk awareness in the general public as well as to facilitate delineation of more suitable locations for relocation of human populations during flooding in Nigeria. In pursuance of these goals, the study considers the following specific objectives:

- to investigate and summarize evidence of flooding in Nigeria and to critically review efforts towards addressing its threats in the country,
- to identify knowledge gaps relevant to the reduction of flood risk in the country,
- to present flood modelling as a way-forward towards pro-active flood management activities, and
- to make supported recommendations towards building flood resilient communities.

The general concept of flooding and its remedies are presented in section 2. The methodology and data for the research are discussed in section 3 while the study area is described in section 4. Section 5 focuses on general discussions on flooding in Nigeria and present efforts at tackling the challenge. Section 6 presents relevant recommendations towards a possible way-forward while section 7 gives a general conclusion of the study.

II. CONCEPTUAL FRAMEWORK OF FLOODING AND ITS REMEDIES

Flooding along with its severe impacts on human lives, properties and economic activities is globally acknowledged (Keith 2013, Penning-Rowsell et al. 2005). Conceptually, flooding is the result of water overtopping its natural and manmade defences and overflowing places not typically submerged (Smith & Ward 1998). It is also a result of sudden arrival of heavy storms, which overwhelms soil infiltration capacity and urban drainage systems. In the literature, it is claimed that flooding is the most widespread hazard phenomenon on natural environments, accounting for more than 40% (both in frequency of occurrence and potential for losses) of the total disasters globally (Nwilo

et al. 2012, van der Sande et al. 2003). From wave dynamics, flooding is described as a down-slope propagation of attenuated longitudinal wave motion with inundation extent, depth and duration, as well as water flow velocity (Chow et al. 1988). Various forms of flooding can be identified including fluvial, coastal and those resulting from pluvial events which in recent times have threatened many urban areas (Ward & Robinson 2000, Lauber 1996, Hassan 2013).

Arguably, these urban floods are becoming more widespread nowadays and causing significant loss of life and property due to the large number of population exposed within the cities (EA 2007, Gupta 2007, Jha et al. 2012, Chen et al. 2009, Jeffers 2013). In the US, 32.9% of the total natural disasters in 2012 were hydrological with urban floods accounting for the most part, affecting more than 9 million people and causing about US\$ 0.58 billion worth of damage (CRED 2013). The same source shows, for that year, more than US\$4.7 billion worth of damage recorded for Europe, and about US\$0.83 billion and US\$19.3 billion damage for Africa and Asia respectively resulting from urban flooding. Four different floods that hit United Kingdom cities in 2012 caused a total loss of \$2.9 billion, with many human populations affected (CRED 2013).

Increased frequency and intensity of rainfall drives pluvial floods and is a major cause of concern for urban areas (IPCC 2007). Urban areas are significant in the economic and political development of regions and states (Holton 1998, Sassen 2000, Cohen 2004). However, urbanization is an important anthropogenic influence on climate change especially in forcing increased rainfall intensity and frequency (Kalnay & Cai 2003, Seto & Shepherd, 2009). Impervious surfaces which are extensive in urban areas influence local and regional hydrology by increasing surface water runoffs and causing peak discharge and reduced time of peak (Mujumdar 2001, Hümann et al. 2011). These are pertinent issues to environmental management, urban planning and flood risk reduction. However, urbanization along with rapid population growth in most places for example the developing countries (DCs) have been unaccompanied by adequate urban planning (Adeloye & Rustum 2011).

Flood risk is linked to exposure of social systems to flood hazards (in the form of flood water depth, extent, duration and velocity of flow) and their vulnerabilities (the propensity to be adversely affected by flooding caused mainly by lack of coping capacity) (Birkmann 2006, Crichton 1999, Balbi et al. 2012). It is also the product of likelihood of occurrence of flood hazard and its consequences identified as possible losses resulting from flooding (Brooks 2003, Smith & Ward 1998, Jeffers 2013). Likelihood of occurrence of flooding can be defined as the percentage probability of flood return period. Within research spheres, the likelihood of flood occurrence is generally delineated by

the 100-year flood (EA 2010). Globally, these are key issues which are driving activities towards reducing the risk of flooding across various regions and states (Houston et al. 2011, Agbola et al. 2012, EA 2009, Merz et al. 2010).

Driven by the predictions of worsened flood risk in the future coupled with the notion that floods are inevitable phenomenon which can never be fully constrained within the natural environment (Milly et al. 2002, Nijland 2005, IPCC 2008, Hirabayashi et al. 2013), efforts towards tackling flooding are based on reducing its impacts on human population, development infrastructure and economic activities (DEFRA 2013, UN/ISDR 2004). These efforts have been fundamental to the "living with floods and not fighting them" idea, which dominates key environmental risk research themes (for examples: Disaster Risk Reduction (DRR) and Climate Change Adaptation (CCA)) (Balbi et al. 2012, 2004, Di Baldassarre & Uhlenbrook 2012), and by improving the awareness of flooding in local communities, provision of data and technical know-how as well as provision of funds towards building a community of human populations who are able live with floods as well as securing critical infrastructure against flood losses, has driven approaches towards addressing the challenges of flooding in places like China, the Netherlands, United Kingdom and the United States (Burby 2000, Kazmierczak & Carter 2010, EA 2009, Merz et al. 2010, Zhu et al. 2011, UN/ISDR 2004, Merz et al. 2010, CEA 2007, CRED 2013).

Flood risk reduction is a multi-disciplinary approach which integrates structural and non-structural measures to achieve the key elements of risk management which are: prevention/mitigation, protection, preparedness, emergency response, recovery and lessons learned (Zhu et al. 2011, EC 2004, Tarlock 2012, UN/ISDR 2007). The realization of these key elements appeared to have undermined structural measures which basically include engineering works aimed at containing water disruptions in rivers, thereby reducing exposure to flooding and susceptibility to flood damage (WMO 2008). On the contrary, non-structural measures do not involve physical constructions; instead focus is on knowledge, practice or agreement to reduce risks and impacts, in particular through policies and laws, public awareness raising, training, education and research and include: flood insurance, assessment of vulnerability to flooding which provides information that will enable the classification of a given population with regards to their lack of capacity to cope with the hazard, flood risk/hazard mapping, creating public awareness, relocation of exposed human populations, land-use zoning, flood proofing, flood forecasting and flood early warning systems (WMO 2008, Keith 2013, UN/ISDR 2009, Tate and Cutter 2010, Brilly & Polic 2005, Kundzewicz 2002, Plate 2002).

The success of flood risk reduction can be said to depend to a large extent on knowledge-based decision, robust institutional framework and flood risk communication. Knowledge-based decision uses available information relating to flooding to draw conclusions on possible strategies to be adopted for flood risk reduction. The creation of awareness in stake holders and local communities regarding flooding and its impacts is driven by flood risk communication. Institutional framework includes government response procedures, policies, regulations, guidelines as well as to government agencies engaged in planning and managing flood emergency conditions or in helping victims to cope and recover speedily from extreme flood events (Obeta 2014). Invariably, these three factors require information relating to flood hazard and its consequences which flood risk/hazard maps or some form of graphical representation delineate within an area, as well as public opinion, research findings, empirical results and expert knowledge.

Research has shown that flood characteristics (most notably flood water depth, extent and duration as well as flow velocity) obtained through accurate assessment of flooding are required to produce flood risk/hazard maps (de Moel et al. 2009, Merz et al. 2007). Thus for flood risk/hazard mapping accurate assessment of flooding should not be ignored. Meanwhile, the making of these maps is of scientific significance as it requires critical understanding of the drivers of flood hazard/risk. In the flood risk/hazard assessment literature, flood modelling plays considerable roles. Under the EU commission directive on flood, the United States flood control policy, national flood insurance program (NFIP) and other regionally-based flood risk management policies, the relevance of flood information to both flood risk/hazard mapping and flood risk reduction highlights the significance of flood modelling. For this reason, the key roles of flood modelling can be summarized as follows:

- Description of flow behaviour around groups of buildings and other complex geomorphological features especially in assessment of urban flooding (Bates et al. 2010).
- Ability to provide critical information for strategic planning of flood defence measures and effective flood risk management such as temporal inundation information about the onset, duration and passing of a flood event. (Zerger, 2004, Grimier 2013).
- Leads to an improved understanding of the flood phenomena, provides insight into the causes of flooding and guide through more appropriate measures to be taken to reduce flood damage (Chow et al. 1988).
- Promotes understanding of the complicated nature of flow patterns around floodplain and promotes

community's confidence in the process of flood risk reduction (Bedient et al. 2008).

- Serves as the basis for flood forecasting, flood early warning system and flood damage estimation, as well as provides the basis for the decision making of flood risk management (EA, 2007).
- Serves as the basis for producing flood risk/hazard maps that community officials or the general public can use to evaluate their flood risk and analyse possible evacuation procedures (de Moel 2009).

Flood modelling generally predicts flood hazard characteristics such as water flow depth, flow velocity and inundation extent which are required for estimating the likelihood of flood hazard and its impacts required for flood risk/hazard mapping (Moussa and Bocquillon 2009, Chow et al. 1988). Although possible ways of acquiring these data include ground survey methods and remote sensing technology, however, ground survey methods often require enormous field work and keeping of long-term records while remote sensing requires expert knowledge. The cost of acquiring remote sensing data and software for processing them can be overwhelming. Although in a number of investigations, globally available datasets such as Advanced Spec-borne Thermal Emission and Reflection Radiometers Global Digital Elevation Model (ASTER GDEM), Shuttle Radar Topographic Mission (SRTM) and global flood data have been utilized (Ho et al. 2010, Manfreda et al. 2011). However, it can be shown that due to scale and accuracy requirements, these global datasets do not provide realistic estimates of flood assessment and using them as basis for making decision towards flood management can be misleading (van de Sande et al. 2012, Tarekegn et al. 2010).

These challenges and perhaps the recognition of the relevance of data in flood risk reduction further highlight the importance of flood modelling, which is governed by the science and mathematics of hydrology. The prospects of flood modelling in assisting flood risk management in various parts of the world are acknowledged. In the Netherlands, flood modelling, among other roles, supports investigation into estimation of damage caused by flooding (Jonkman et al. 2008, Vis et al. 2003). Within European Union framework, flood modelling plays a considerable role towards flood hazard/risk mapping of the constituting States, as well as development of flood forecasting and early warning systems (EC 2007). Several flood modelling packages exist in the US for tackling fluvial and urban flood through simulation of discharge hydrographs (EA 2010). Several engineering works aimed at constraining floods from River Thames are based on water levels simulated by means of existing flood models (Neil et al. 2011). Many Asian countries, notably China, Vietnam and Bangladesh although having 'not too well' established flood management

policies utilize flood modelling methodologies for flood risk assessment and mitigation (Renyi & Nan 2002, Huong & Pathirana 2011).

Based on ample evidence, the results of flood risk mitigation supported by flood modelling in these exemplar locations have been satisfactory (Van Alphen et al. 2009, Kovacs & Sandink 2013). For this reason and on the basis of effectiveness and robustness as well as enhanced efforts in flood risk mitigation in Nigeria, the present study makes argument in favour of flood modelling. Although, existing flood models are rife with limitations which may constrain their applications in Nigeria, however, developing bespoke flood models for Nigeria can be a priority. This need for flood models was emphasized by the DG of Nigerian Hydrological Services Agency (NIHSA 2013) in a recent mission statement:

“...in view of flooding in Nigeria, governments at all levels should create awareness on the need for communities to relocate to safer terrain. Moreover, while the current trends in climate variations prevails, the need to develop flood modelling and early warning systems cannot be overemphasized... There is also need to carry out a comprehensive flood hazard mapping for all areas considered at risk of flooding in the country...”

III. METHOD AND DATA

A search process to identify the body of literature relevant to flooding and efforts towards addressing its threats in Nigeria was undertaken. Combination of terms such as "flooding and management in Nigeria", "flooding and human health in Nigeria", "flooding and modelling in Nigeria" and "flooding and climate change in Nigeria" was applicable to the search. Overall, 429 publications were identified of which 17 focused on the causes of flooding in Nigeria, 132 addressed the impacts, 181 discussed the remedies, 54 looked at climate change issues, 14 discussed public perception of flooding while 31 addressed urban management and planning. These findings are fundamental to discussions presented in this paper. The scientific quality of these papers was assessed based on the publishing journal. This is consistent with academic standard and regulations. Although locally published articles provided most of the information to establish the case in the present study, however, the greater weight was given to articles published by Elsevier, Science Direct, Taylor and Francis, Wiley and sons, ASCE, Nature, Sage, Springer and Copernicus publishers and on International conferences.

The data that provided much of the evidence regarding the prevalence of flooding in Nigeria was sourced from EM-DAT database, Nigerian ministry of Environment and from previous studies.

a) Description of the study area


Nigeria, a sub-Saharan West African country, is on the Gulf of Guinea, east of the Greenwich and north of the equator. The country, made up of 36 states including the federal capital territory (FCT), Abuja, lies between latitudes 4° and 14°N, and longitudes 2° and 15°E, with a total land area of 923,768 km² (See figure 1), and borders with Republics of Benin and Niger, Chad, and Cameroon. It maintains a large expanse of coastline, over 853 km in magnitude, with hydrological features which includes the rivers Niger and Benue, both of which confluence at Lokoja, and flows further southwards through the Niger Delta into the Atlantic ocean.

The 2006 census confirmed over 140 million people in Nigeria, but this population has grown steadily, and is presently estimated at more than 170 million people, making the country the seventh most populous country in the world (NPC 2007, World Bank 2013). According to United Nations projections, Nigeria is one of the eight countries expected to account collectively for half of the total population increase in the world from 2005-2050, and will by 2100, record a population amounting between 505 million and 1.03 billion people (United Nations 2004). Rapidly growing population along with urbanization which appear not to be accompanied by corresponding strategies to support humanitarian needs and anthropogenic activities characterize Nigeria. This concern has not received adequate attention in the literature, especially with regards to the implications of future urban scenarios on environmental sustainability.

IV. RESULT AND DISCUSSION

a) Flooding in Nigeria

Flooding in Nigeria is generally linked to poor urban planning and climate change (Adeloye & Rustum 2011, Action Aid 2006, Cline 2007, BNRCC 2008). The impacts have been severe and every part of the country's life stream is affected with significant economic losses (mainly through destruction of farmlands, social and developmental infrastructure) and economic disruption (most notably in oil exploration in the Niger delta, traffic congestion in many cities in Nigeria, disruption in telecommunication and power supply) (Ogunbodede & Sunmola 2014, Ologunorisa 2005, Fadairo & Ganiyu 2010). In 2012, the country experienced the worst flooding in more than 40 years as a result of heavy storms that lasted many days. The incidence affected 32 states with 24 considered severely affected (NEMA 2013). The floods lasted from July to October that year and affected 7.7 million people with more than 2 million others reckoned as internally displaced (IDPs). More than 5000 people were physically injured along with over 5900 houses which were destroyed.



Source: Drafted by the authors.

Figure 1 : Map of Nigeria showing the 36 states and Rivers Niger and Benue. Inset is Africa showing Nigeria's location

Historically, flooding in Nigeria dates back to the early 1950's with coastal and fluvial floods. Such floods which affected mainly coastal environments were influenced by seasonal interruption of major rivers and water overtopping their natural and artificial defences (Akintola 1994). Fluvial floods account for the majority of the flood threats experienced in locations along the plains adjoining major rivers in the country, including rivers Niger, Benue and Hadeja. The states in Nigeria mostly affected are Adamawa, Kano, Niger, Jigawa, Kaduna, Cross River and Kebbi (Iloje 2005, Agbola et al. 2012). The worst fluvial flood in Nigeria was the Kano state flood disaster of 2006 which affected hundreds of thousands of lives with economic loss worth millions of US dollars (Adebayo and Oruonye 2012). Coastal floods in Nigeria affect the low-lying areas in the southern part of the country (comprising for examples Lagos, Oyo, Ondo, Akwa-Ibom and Bayelsa states). The impacts of such floods have been severe due to the number of human populations exposed as a result of the attractions of coastal areas for economic and social reasons (Adelekan 2010). Globally, Nigeria is ranked among the top 20 countries exposed to coastal flooding based on present population and future scenarios in the 2070s (including climate change and socio-economic factors) (Table 2).

Flooding due to pluvial events which usually occurs annually during rainy seasons, between July and October, ravaging many cities within the country is most frequently experienced. Presently the occurrence of such floods which implicates poor urban planning (in particular inadequate drainage system and the range of urban utilities) is an issue of global significance within the contexts of climate change and flood risk mitigation (Adeloye & Rustum 2011).

From existing literature, it is clear that the impacts of flooding in Nigeria continue to trigger concerns for food security, vulnerability of local communities within the country, humanitarian needs and services, primary health delivery, environmental management, solid waste management, urban development, professionalism in journalism practice and the dynamism or lethargy of Nigerian democracy and political system (Clement 2012, Adelekan 2010, OCHA 2012, Uzochukwu et al. 2014, Ochuko 2014, Obeta 2014, Douglas et al. 2008). Whilst investigating these factors vis-à-vis flood risk mitigation in Nigeria is vital, key features of flooding which influence its level of impacts in the country include flood water depth, inundation extent and duration of inundation. Respectively, flood width, height, annual frequency and duration in Nigeria can measure over 700m, 11m 10

Table 1 : Top 20 countries ranked in terms of population exposed to coastal flooding in the 2070s (including both climate change and socio-economic change) and showing present day exposure

Rank	Country	Urban Agglomeration	Exposed Population (Current)	Exposed Population (Future)
1	India	Calcutta	1,929,000	14,014,000
2	India	Mumbai	2,787,000	11,418,000
3	Bangladesh	Dhaka	844,000	11,135,000
4	China	Guangzhou	2,718,000	10,333,000
5	Vietnam	Ho Chi Minh City	1,931,000	9,216,000
6	China	Shanghai	2,353,000	5,451,000
7	Thailand	Bangkok	907,000	5,138,000
8	Myanmar	Rangoon	510,000	4,965,000
9	USA	Miami	2,003,000	4,795,000
10	Vietnam	Hai Phòng	794,000	4,711,000
11	Egypt	Alexandria	1,330,000	4,375,000
12	China	Tianjin	956,000	3,790,000
13	Bangladesh	Khulna	441,000	3,641,000
14	China	Ningbo	299,000	3,305,000
15	Nigeria	Lagos	357,000	3,229,000
16	Cote d'Ivoire	Abidjan	519,000	3,110,000
17	USA	New York	1,540,000	2,931,000
18	Bangladesh	Chittagong	255,000	2,866,000
19	Japan	Tokyo	1,110,000	2,521,000
20	Indonesia	Jakarta	513,000	2,248,000

(Source: Nicholls et al., 2007, OECD, Paris)

and 25 days respectively (See table 3) (Aderogba 2012). It is shown from EM-DAT database that most floods in Nigeria lasted up to 79 days. Thus based on these features, the dangers posed to human lives and properties by flooding in Nigeria can be appreciated (See figure 2).

The lack of a comprehensive flood record, a gap in knowledge which the present study attempts to address, seems to constrain both a better understanding of the spatial and temporal distribution of the hazard across the country and efforts towards addressing the challenges. Although reports from the media and humanitarian agencies highlight the gravity of flood situation in the country, inconsistency of flood narratives in Nigeria is overwhelming (Olaekan 2013). During flooding episodes in Nigeria, there is often an increase in journalistic and non-quantitative evidence which whilst rife with uncertainties seem to exaggerate the impacts of flooding in the country. However, based

on data sourced from EM-DAT, CRED and Dartmouth Flood Observatory (DFO) databases and from previous studies (examples: Adeoye et al. 2009, Adebayo and Oruonye 2012, Agbola et al. 2012, Obeta 2014), the widespread nature of flooding in Nigeria can be investigated

Against this background, the present study brings together available flood data on historical flooding in Nigeria from 1985 till 2014 (see table 4). This move extends recent investigations by Adebayo and Oruonye (2012), Adeoye et al. (2009), Etuonovbe (2011), Agbola et al. (2012) and Obeta (2014). It is believed that this record will give incentive for awareness of flooding among vast human population and local communities, as well as promote future investigations towards predicting probabilistic flooding for the country and formulating more effective ways of addressing the challenges of flooding.

Table 2 : observed flood width, depth, frequency and durations for 25 cities and towns in Nigeria. Highest values are 747.00m for mean width, 11.88m for depth/height, 10 times for frequency of occurrence per annum and 25 days for flood duration

Location	Mean Width (meters)	Highest Experienced Height (meters)	Mean Frequency (Per Annum)	Mean Longest Durations ever lasted (days).
Assaba	125.00	7.88	6	10
Abuja	163.00	6.20	5	4
Abeokuta	115.05	7.32	6	8
Aba	235.00	7.54	5	15

Ibadan	521.45	9.20	3	7
Owerri	124.04	8.21	5	7
Warri	221.25	7.28	6	16
Benin City	198.00	8.90	8	12
Jalingo	115.00	7.37	4	5
Enugu	147.72	7.35	5	6
Lagos	747.00	11.88	10	25
Metropolis				
Kano	110.00	9.72	3	8
Kaduna	128.00	9.53	5	12
Katsina	122.00	6.25	4	11
Sokoto	114.25	7.02	6	4
Port-Harcourt	121.21	8.12	4	18
Ondo	124.75	7.80	8	11
Ogbomosho	118.00	9.55	3	12
Osogbo	111.00	9.73	8	13
Onisha	128.00	7.65	4	4
Calabar	213.00	7.53	8	11

Source: Aderogba 2012



Source: Online images of flooding in Nigeria. www.floodinginnigeria

Figure 2 : Evidence of flooding impacts in Nigeria

Table 4 : Spatial and temporal distribution of significant floods in Nigeria from 1985 to 2014

S/No.	DATE (BEGAN)	CITY (LGAs)	STATE (S)	DURATION (DAYS)	CAUSE (S)	NO OF PEOPLE AFFECTED	MORTALITY	SIZE OF LAND (KM ²)	ECONOMIC LOSS (billion US\$)	AFFECTED HOUSES
1.	13-Sept-2014	Ibadan and environs	Oyo	1	Torrential rainfall	10000	15	N/A		Many
2.	14-Apr-2013	Various	Southern area	5	Torrential rainfall	81506	19	N/A		Many
3.	July 2012	Many*	32 States in Nigeria	120	Heavy rain, dam/levee break,	7705378	363	Large expanse of farmlands.	16.9	Many* Registered IDPs amount to more than 2000000.

4.	13-Sept-2010	Many	Jigawa, Sokoto, Kebbi	18	Dam/Levee break	1500200	40	N/A	0.03	Many houses
5.	21-Jun-2011	Many	Kano	5	Torrential rainfall	950	24	N/A		Farmlands, many houses.
6.	15-Jul-2011	Urban areas	Lagos and Katsina	5	Heavy rains	26950	20	N/A		Damaged urban infrastructure (roads, schools, houses)
7.	20-Oct-2011	Lagos metropolis	Lagos	9	Heavy rains	Thousands	10	Nil		Damaged urban infrastructure (roads, schools, bridges, houses)
8.	26-Aug-2011	Ibadan and environs	Oyo	Many days	Heavy Rain (Urban flooding)	Thousands	8			Damaged urban infrastructure (roads, schools, bridges, houses and markets)
	14-Aug-09	13 LGAs	Edo	Many days	Heavy Rain (Urban flooding)	Thousands	Nil	Nil		Damaged urban infrastructure and displaced people.
9.	20-Oct-09	Obio / Akpor	Rivers and Delta	7	Heavy Rain	5000	Nil	53020		200
10.	10-Sep-09	Gusau	Zamfara	9	Heavy Rain	3000	Nil	64200		> 5000
11.	04-Aug-07	50 LGAs* across affected the States were inundated	Plateau, Borno, Delta, Adamawa, Anambra, Bauchi, Yobe, Niger, Taraba, Ebonyi Cross-River, and Bayelsa	79	Heavy Rain	140,000	101	630,100		>18, 859 houses were washed away, with villages and farmlands.
12.	01-Aug-07	Ikorodu, Kosofe and Abeokuta	Lagos and Ogun	15	Heavy Rain	5000	6	5270		5000
13.	12-Sep-06	Obe-ile and Ekiti	Kwara	2	Brief Torrential Rain	Nil	20	870		Nil
14.	18-July-06	Abuja and Maraba	Nasarawa	3	Heavy Rain	40	4	1851		Many*
15.	15-July-06	Auchi Township	Edo	3	Heavy Rain	2000	Nil	724		500
16.	28-Sep-05	5 LGAs*	Yobe	4	Heavy Rain	1500	Nil	11550		>300
17.	07-Aug-05	8 LGAs* across affected the States were inundated	Jigawa, Bauchi, Taraba, and Yobe	41	Heavy Rain	7	3	159500		5400
18.	21-Aug-04	10 LGAs*	Gombe	3	Heavy Rain	3000	25	20780		1500
19.	08-July-04	4 LGAs*	Adamawa	5	Heavy Rain	2500	65	5480		500
20.	08-July-04	Ugheli	Delta	3	Heavy Rain	15000	Nil	510		3000
21.	22-Jun-04	2 LGAs*	Jigawa	4	Heavy Rain	300	Nil	8720		Farmlands
22.	17-Jun-04	Lagos city	Lagos	2	Heavy Rain	Nil	Nil	340		Drainages
23.	22-Sep-03	15 LGAs*	Adamawa and Benue	19	Heavy Rain	1000	28	137700		>203

24.	05-Sep-03	41 LGAs*	Kaduna, Kano, Niger and Jigawa	54	Heavy Rain	210000	16	134900	0.00257	>30000
25.	08-Aug-03	18 LGAs*	Jigawa and Katsina	17	Heavy Rain	16000	1	19630	0.04	1500 with farmlands
26.	05-Aug-03	5 LGAs*	Sokoto and Niger	69	Heavy Rain	10000	7	138900		30000
27.	27-July-03	3 LGAs*	Benue	1	Heavy Rain	3000	2	2620		52
28.	22-July-03	4 LGAs*	Gombe	3	Heavy Rain	160	Nil	1520		40
29.	23-July-03	6 LGAs*	Cross-River	3	Heavy Rain	Nil	5	8170		Unknown*
30.	28-July-03	3 LGAs*	Kano	2	Brief Torrential Rain	800	1	790		200
31.	07-Jun-03	6 LGAs*	Jigawa	2	Heavy Rain	2000	Nil	5710		100
32.	24-July-02	Lagos city	Lagos	3	Heavy Rain	Nil	2	1650		Many*
33.	27-Aug-01	14 LGAs*	Kano and Jigawa	9	Dam/Levee break	80000	200	14300		60 Villages
34.	Sept 2000	Pai	Taraba	N/A	Flash					Thousands of people
35.	22-July-01	Talata and Maraba	Zamfara	1	Heavy Rain	3802	Nil	1060		3802
36.	20-Sep-00	Lagos city	Lagos	2	Brief Torrential Rain	Nil	Nil	7700		Tens of thousands
37.	Aug/Sept-00	Ibaji-Gurar	Kogi	N/A	Levee break	150000	Nil	N/A		Many*
38.	Sept/Oct-00	Katsina-Ala	Benue	N/A	Fluvial causes	Nil	Nil	N/A		Several sizes of farmlands and crops
39.	26-Oct-99	7 LGAs*	Imo	14	Heavy Rain	Nil	50	251300		Many*
40.	15-Sep-99	Not specified	Niger, Sokoto, Kaduna, Adamawa and Borno, with some parts of Ghana and Togo	27	Heavy Rain	396748	85	862000	0.021	Many*, but worst in Ghana and Togo
41.	12-Oct-98	Western area	Kwara	7	Heavy Rain	110000	Nil	29090		Many*, not specified
42.	15-Aug-98	Okunmi	Kano	2	Heavy Rain	5000	15	39720		Many*, not specified
43.	30-Apr-97	Ibadan	Oyo	2	Heavy Rain	Nil	5	17290		Many houses collapsed
44.	07-Aug-95	Jos	Plateau	4	Heavy Rain	Nil	30	19770		5300 domestic animals killed
45.	11-Sep-94	Mai and Agadez	Borno and Niger	5	Heavy Rain	180000	142	317300		Properties up to millions of naira, with foodstuffs and livestock
46.	22-Sep-92	Mubi and Madagali	Adamawa and Borno	2	Heavy Rain	13000	9	42370		Roads and Farmlands
47.	04-Aug-91	Hadeia	Kano	2	Heavy Rain	10000	4	22910		Farmlands
48.	16-Sep-90	Not specified	Edo	6	Heavy Rain	300000	6	36120		Farmlands
49.	02-Aug-90	Agbara and Gbakolo	Cross-River	2	Heavy Rain	Nil	100	5520		Hundreds of farmlands
50.	03-Jul-90	Lagos city	Lagos	2	Heavy Rain	3000	5	3420		Many*, not specified
51.	27-Oct-88	Kaissama	Bayelsa	2	Heavy Rain	12000	10	2830		12000
52.	21-Sep-88	Abuja city and 12 communities in Anambra	FCT, Niger and Anambra	15	Dam/Levee break	70000	Nil	8880	0.001	Many*, not specified

53.	14-Sep-88	Oshogbo and 76 villages in Sokoto	Oyo and Sokoto	13	Brief Torrential Rain	136000	7	71960		Up to 300000
54.	22-Aug-88	Port Harcourt city	Rivers	1	Heavy Rain	10000	Nil	1230		60
55.	07-Aug-88	15 LGAs*	Kano	14	Heavy Rain	200000	53	60620	0.0142	Roads and Farmlands
56.	02-Jul-88	Lagos city	Lagos	2	Heavy Rain	500	Nil	1960		Hundreds of inhabitants
57.	23-Sep-85	Niger River	Niger	3	Heavy Rain	6000	Nil	74620		Many*, not specified

Sources: Dartmouth Flood Observatory (DFO): available online at <http://www.dartmouth.edu/~floods/Archives/index.html>, CRED, NEST, EM-DAT, and previous studies.


*Grouped as the affected LGAs and locations were not specified.

From table 4, it can be shown that flooding over the period under review has affected more than 11 million people with death toll exceeding 1100 in all. The economic implication of these events has exceeded 17 billion US dollars. Whilst these records are overwhelming in view of the country's gross economic reserve, human resources, environmental management and sustainable development, variations in the frequency of occurrence of floods that appear to vary among individual states are highlighted.

Based on the table, it can be shown that although flooding is common among various states of Nigeria, more frequent floods are recorded in Lagos, Niger, Adamawa, Kano, Oyo and Jigawa states. Whilst Lagos state flooding can be attributed to coastal influence among other key factors, the influence of rivers such as Niger, Benue, Ogun and Hadeja may account

for the rest of the states with more frequent floods. These findings are consistent with the result of a recent investigation of flood prone zones in Nigeria (figure 3) carried out by the federal ministry of environment (FME 2012).

Comparing the most devastating floods in the world between 1985 and 2014, it can be clear where Nigeria stands in global and regional perspectives in term of economic and human impacts of flooding. Considering the 2012 floods in Nigeria which are reputed as the worst in more than 40 years, Nigeria ranks third in the world, within the period under review, following Peoples Republic of China and Soviet Union and topmost in Africa, overtaking Mozambique and Algeria in terms of economic loss. This reality should inspire more proactive efforts towards addressing the challenges of flooding in the country.



Source: Federal Ministry of Environment (2012)

Figure 3 : Spatial distribution of areas affected by extreme floods in Nigeria between 2000 and 2012

Apart from China which presently reputed as the most flood prone country in the world, characterized by recurrent perennial floods due to among other things, the influence of population growth and mainly the River Yangtze (Zhang et al 2006). The fact that other countries with known extreme flooding experience (for examples: Netherlands, the US, Brazil, United Kingdom and many other European countries) are presently ranked below Nigeria suggest among other things that more effective flood risk mitigation measures are presently in place in those countries.

The Netherlands with more than half of the country at or below sea level experienced a severe flood in 1953 which devastated majority of the nation's economic and human infrastructure. The estimated impact of the flood was 1835 deaths and 1 billion Dutch guilders (US\$ 558 million). That flood challenged various stake holders, particularly the local communities and Dutch government towards more effective strategies of mitigating the threats of flooding. The result of this is seen in the reduced impacts of flooding in the country in recent times. The flood of 1972 in the US caused 238 deaths, 357 injuries, about 1335 homes destroyed with estimated fiscal loss of over 800 million US\$. In the UK, the 1947 floods were considered the worst in recent history with overall impact estimated at merely £4.5 million (USD\$ 6.81 million) at current value, with millions of devastated human populations, farm animals and agricultural products (EA 1993). Recent floods in the US and UK have not reached this magnitude in their impacts. For Brazil, compared to the floods of 2010, the flood of 1967 which claimed 610 lives, costing about US\$1.2 was considered the deadliest in that country's history.

In view of these analogies, it can be argued with regards to these countries, that considerable progresses have been made at reducing the impacts of flooding especially on human population and critical infrastructure whilst building the resilience of the people and encouraging adaptability strategies. For this reason, Nigeria's position in global and regional perspective requires that various stake holders should focus attention on ways of improving more effective flood reduction measures for the country such as inclusion of flood modelling techniques. This need is more urgent considering climate change scenarios, poor urban planning, along with a number of remote factors such as the topography of the country (most places for example the Lagos metropolis, are almost flat), anthropogenic activities (mainly through indiscriminate disposal of solid waste, concentration of slum developments, non-compliance with regulations, sloppy attitude towards weather warnings and alerts, roadside car washing), poor perception of flooding among local communities, poor legislation and enforcement of regulations, and the presence of large hydrological network (for example

rivers Niger and Benue, canals, harbour, lagoons and beaches and the Atlantic ocean) which are influencing flooding and other conditions in Nigeria (Ologunorisa 2005, Aderogba et al. 2012, Aderogba 2012a, Agbola et al., 2012),

b) *Present efforts towards tackling flooding in Nigeria*

The means of tackling flooding in Nigeria include but not limited to structural measures (such as dams, bridges and drainage systems), policy formulation, physical intervention, social measures and research, relocation of human populations and relief assistance to internally displaced persons (Olorunfemi 2011, Odunuga 2008, NIHSA 2013, Obeta 2014). These efforts are driven by institutional approach (including government ministries, departments and agencies), local communities and the general public, humanitarian organizations and international bodies, the media and the academia.

Institutional approach in Nigeria is as old as disasters in the country and generally includes agencies and departments under the Federal Ministry of Environment (FME). For tackling floods in the country, the key institutions include: Federal Emergency Management Agency (FEMA), National Emergency Management Agency (NEMA), State Emergency Management Agency (SEMA), Local Emergency Management Agency (LEMA), National Orientation Agency (NOA), National Environmental Standards and Regulations Enforcement Agency (NESREA) which by 2009 Nigerian Acts supersedes the FEPA, Nigerian Meteorological Agency (NIMET) and Nigerian Hydrological Services Agency (NIHSA) (Ibitoye 2007).

With NEMA as a coordinating body, specific actions towards tackling flooding in Nigeria can be conceived as follows: policy formulation, data collation from relevant agencies, education of the general public on flooding, distribution of relief materials to disaster victims within the states and local government areas (LGAs), protection and development of the environment through enforcement of all environmental laws, guidelines, policies, standards and regulations in Nigeria, as well as enforcing compliance with provisions of international agreements, protocols, conventions and treaties on the environment to which Nigeria is a signatory (key roles of NESREA), provision of reliable and high quality hydrological and hydrogeological services and data on a continuous basis (key roles of NIHSA, which since 2013 has been creating awareness of flooding through the "flood outlook" initiative), flood forecast and weather report along with other meteorological information (NIMET).

Specific actions by local communities and the general public, humanitarian organizations and international bodies, the media and the academia are equally acknowledged (Terungwa & Torkwase 2013, Olalekan 2013, Obeta 2014, OCHA 2012). Co-habitation

among families in Nigeria offers a comparative advantage in the event of flooding as individuals within family setting offer mutual assistance to cope with the hazard and to recover speedily from losses incurred. In many flooding incidences in Nigerian cities, the general public has often converged at the scenes the incidence to offer help to victims, assist in evacuation of those displaced and in protecting property from further damage. Many IDPs easily find shelter and other humanitarian needs from families and friends while awaiting intervention by authorities. However, unlike the developed countries, the vulnerabilities of local communities to flooding in Nigeria may indicate among other factors the overwhelming lack of responsibility towards flooding and ways of addressing its challenges. For examples failure to comply with environmental laws and regulations and to adhere to weather warnings and alerts are possible situations where lack of responsibilities of local communities and the general public is highlighted (Aderogba 2012a). The indifference of most people towards research questionnaires and surveys most likely compounds the situation.

Humanitarian response to flooding in Nigeria has been overwhelming. Almost in all cases of flooding in Nigeria have victims received humanitarian supports with most notably the International Federation of Red Cross (IFRC), United Nations, World Bank, Foreign countries including UK, the United States, China, Japan, France as well as religious organizations including the Catholic, Anglican and Pentecostal churches and missionary societies. The 2012 flooding saw humanitarian response amounting to over US\$70 million (OCHA 2012).

Considerable attention has been given to flooding in Nigeria through research and scientific studies. However, the need for science and technology to embrace environmental education in Nigeria has been identified (Terungwa & Torkwase 2013). Similarly, the media have played important roles in reporting flooding in Nigeria, but as argued by (Olekan 2013), there have been inconsistencies in flood reporting in the country which may be attributed to some disconnect between the media and agencies tackling flooding in the country particularly the NEMA.

Despite these progresses, there are a number of critical issues regarding these present efforts at tackling flooding in Nigeria (Obeta 2014, Agbola 2012, Kolawole et al. 2010). With regards to facilitating the evacuation of victims affected by floods and providing them with urgent humanitarian needs, the level of dissatisfaction and agitations from large numbers of the flood victims, especially the IDPs, queries the effectiveness of these measures. Although it is unjustifiable to claim that the limitation with these present efforts probably leads to more frequent flooding in the country, however, the fact that such measures have not improved the country with regards to the idea

of "living with floods" is clearly acknowledged (Adelekan 2010, Adebayo & Oruonye 2013, Akintola & Ikwuyatum 2013).

V. RECOMMENDATIONS

Based on these critical issues relating to tackling flooding in Nigeria, lessons learned from other countries' experiences of flooding and "best practices" in flood risk reduction (Water UK 2008, Pitt 2008, Sayer et al. 2013), the authors propose that inclusion of flood modelling in the present effort will be a way forward towards a more proactive flood risk reduction within the country. In addition to this proposal, the following recommendations are relevant:

- In view of global focus towards tackling flooding using United Kingdom, the US and the Netherlands as exemplars and considering the specific situation of Nigeria regarding flooding, the nation's academia should focus attention on more scientific investigations. Flooding and climate change concepts should be integrated into curriculum of studies in Nigerian schools. Current issues in flood research such as flood modelling, vulnerability assessment, uncertainty analyses and early warning systems should be promoted.
- From previous studies (for example Nkwunonwo et al. 2015), it is clear that perception of flooding in Nigeria has only received little attention. Due to lack of funds and the indifference of political leaders towards research, a number of researches relating to flooding in the country seem to recycle issues that are well known such as causes and impacts of flooding. To tackle this challenge, we recommend that annual budgeting for Nigeria should be specific and more realistic with funds for research.
- The old English adage "*God created the world, but the Dutch created Netherlands*" is often used to highlight the commitment and responsibilities of the Dutch towards tackling flooding and its challenges. Flood defence in the Netherlands cost each person a few hundred Euros each year and the people rarely flinched at the responsibility (Vis et al. 2003). The high level of adherence to regulations and rules shown by British citizens is highlighted in the conservation of nature and high environmental standards which the country upholds (Pitt 2007). Such positive attitude is also exhibited towards weather reports, disaster warning and alerts informing a significant level preparedness which appears to influence reduced damage following flooding event. Against this background, Nigerians need a change of attitude towards flooding its management. Ideally, Nigerians should participate in matters relating to flooding which most largely affects their lives. This can be done by asking relevant questions, seeking to know and willing to

adapt to individual actions which can potentially influence flood risk reduction within the country. Individuals in politics should ensure that laws which underlie the enforcement of environmental standards and regulations are made. Equally, the general public and local communities in Nigeria should support research through positive and accurate responses to questionnaire and surveys.

- The lack of detailed plan and strategy for disbursing funds and inaccurate information relating to those who have been affected by flooding most probably undermine humanitarian support in Nigeria and account for financial mismanagement. Humanitarian actions in Nigeria are generally for post-disaster and emergency situations suggesting some limitation based on what can be achieved through financial support. Given that most local communities in Nigeria consist of poor human populations, we recommend that the focus and priority of humanitarian supports should be on improving the living condition of the population people whilst not undermining the need for assistance in eventualities. Thus focus will not only ultimately reduce their chances of people being vulnerable to flooding and assist in minimizing financial mismanagement, but also it will boost the credence of humanitarian supports towards natural disasters in general and flooding in particular in Nigeria.
- The European Union framework on flooding requires all constituting States to prepare flood hazard/risk maps (EA 2003). Whilst this policy highlights the relevance of flood modelling, it also underlines strong commitment towards tackling flooding across the region of Europe. A policy of such will benefit West Africa in general and Nigeria in particular. However, whilst a regional policy towards flood risk map may be unrealistic for West Africa in the interim, a strong legislation that requires each state of Nigeria to produce a flood hazard/risk map is recommended for Nigeria. This will to a large extent strengthen existing institutional framework and stimulate increased responsibility towards flood risk reduction among the states in the country.
- Flood risk reduction under the "living with floods" idea is multi-disciplinary indicating that various industries can assist in reducing the impacts of flooding. In UK, evidences of collaboration from various companies and institutions towards addressing flood challenges are undisputable (EA 2010, Water UK 2008, Pitt 2008). Thus, the need for multinationals and banking industries in Nigeria to sponsor research and promote sustainable development within Nigerian cities, as well as augment humanitarian supports to improve the living standards of local communities whilst reducing their vulnerabilities and building their resilience to flooding should not be ignored.

- Flood insurance is a non-structural approach which many property owners have benefitted from in developed countries following flood disasters. To support the roles of flood insurance in Nigeria, it is recommended that the role of FEMA in this regard should be extended to states and whilst encouraging insurance companies to commence sensitization exercises for properties owners to take positive step in this direction.

VI. CONCLUSION

Critical issues relating to widespread flooding in Nigeria have been explored with view to charting a more proactive solution towards addressing the challenge within the country. Fluvial and coastal types of flooding are experienced in Nigeria. However pluvial flooding which is a major cause of concern for urban areas within the country appears to be more frequent and arguably unprecedented from the point of view of flood impacts. Over the period 1985 to 2014, the effects of flooding on people, properties and economic activities have been arguably overwhelming. Whilst virtually all states in Nigeria have experienced the hazard, more frequent floods are experienced in Niger, Adamawa, Oyo, Kano and Jigawa states, possibly due to the influence of rivers Niger, Benue, Ogun and Hadeja. Lagos state seems to have experienced most of the floods in the country and this has been associated to poor urban planning and climate change with more frequent and intense rainfall.

Present efforts at tackling flooding in Nigeria appear to be limited and have been grossly criticized as ad-hoc, poorly coordinated and not in line with globally acknowledged 'best practices' in flood risk reduction. Whilst such practices do not seem to be governed by the idea of 'living with floods and not fighting them', which dominates in flood risk reduction literature and many international and regional flood management policies such as the European Union Flood Directive, flood modelling approaches are evidently lacking.

Given the relevance of flood risk/hazard mapping within the framework of flood risk reduction, the specific roles of flood modelling are presented. Basically, it is shown that flood modelling simulates flood hazard data (flood water depth, extent, and duration as well as flow velocity) for flood risk/hazard mapping. However, the dearth of these data among other factor constrains efforts at tackling flooding in Nigeria. Although ground survey and remote sensing approaches can be applied to acquire these data, limitations inherent in these approaches undermine their applications in Nigeria.

With flood modelling presented, recommendations which the authors deemed relevant towards achieving the key drivers of this study were made. Most importantly, bearing in mind that flooding cannot be constrained within human environment and that it will

worsen in the future, the need for Nigerians to create a society where social systems are resilient to the hazard is recognized.

It is recognized that a major limitation of this study is in the negligence of flood events prior to 1985. This is due to the lack of accurate and well-coordinated historical data for those periods. However the study recommends this for future investigations, especially with regards to developing a repository where various historical flood data can be lodged, irrespective of their magnitudes and return periods. There is urgent need for bespoke flood models for simulating flood hazard in Nigeria in line with the objectives of NIHSA. That way the barriers associated with existing flood models such as copyright restriction, limited calibration and strict insistence on quality data requirement to run the commercial flood models in Nigeria can be overcome.

VII. ACKNOWLEDGEMENT

The author wishes to thank the Surveyors Council of Nigeria (SURCON) for the provision of supplementary grants towards this research. Most of the secondary flood data were accessed from the centre for research in epidemiology of disasters (CRED), Nigeria Environmental Study Action/Team (NEST). All the authors whose previous work and published data have contributed to the present study are acknowledged, and so are the efforts of the reviewers of this paper.

REFERENCES RÉFÉRENCES REFERENCIAS

1. ActionAid. (2006). *Climate change, urban flooding and the rights of the urban poor in Africa: Key findings from six African cities*. London: Action Aid International.
2. Adeaga, O. (2008). *Flood Hazard Mapping and Risk Management in Parts of Lagos N. E*. Available at: www.gsdi.org/gsdi10pages/Ts.13paper/pdf
3. Adebayo, A.A., & Oruonye, E.D. (2013). *An Assessment of the effects of the 2012 Floods in Taraba State, Nigeria*. Paper delivered at the Annual National Conference, organized by the Association Hydrological Science at University of Agriculture, Abeokuta, Ogun, state, Nigeria. Pp. 13-18.
4. Adedeji, O. H., Odufuwa, B. O., & Adebayo, O. H. (2012). Building capabilities for flood disaster and hazard preparedness and risk reduction in Nigeria: need for spatial planning and land management. *Journal of Sustainable Development in Africa*, 14(1), 45-58.
5. Adegbola, A. A., & Jolayemi, J. K. (2012). Historical rainfall-runoff modelling of river Ogunpa, Ibadan, Nigeria. *Indian Journal of Science and Technology*, 5(5), 2725-2728.
6. Adelekan, O. (2010). Vulnerability of poor urban coastal communities to flooding in Lagos, Nigeria. *Environment and Urbanization*, 22, 433-450.
7. Adeloje, A.J. and Rustum, R. (2011). Lagos (Nigeria) flooding and influence of urban planning. *Urban Design and Planning*, 164 (DP3), 175-187.
8. Adeoye, N. O., Ayanlade, A., & Babatimehin, O. (2009). Climate change and menace of floods in Nigerian cities: Socio-economic implications. *Advances in Natural and Applied Sciences*, 3(3), 369-377.
9. Aderogba, K. A. (2012a). Qualitative studies of recent flood and sustainable growth and development of cities and towns in Nigeria. *International Journal of academic research in Economics and management science*, 1(3), 1-25.
10. Aderogba, K. A. (2012b). Global warming and challenges of floods in Lagos metropolis, Nigeria. *Academic Research International*, 2(1), 448-468.
11. Aderogba, K.C., Martins, O. M., Oderinde, S. and Afelumo, T. (2012). Challenges of Poor Drainage Systems and Floods in Lagos Metropolis, Nigeria. *International Journal of Social Science and Education*, 2(30) 412-427.
12. Adewale, P. O., Sangodoyin, A. Y., & Adamowski, J. (2010). Flood routing in the Ogunpa river in Nigeria using HEC-RAS. *Journal of Environmental Hydrology*, 18. Paper 25. <http://www.hydroweb.com/journal-hydrology-2010-paper-25.html>
13. Agbola, B.S, Ajayi, O. Taiwo, O.J. and Wahab, B.W. (2012). The August 2011 flood in Ibadan, Nigeria: anthropogenic causes and consequences. *International Journal of Disaster Risk Science*, 3(4) 207-217.
14. Agbonkhese, O., Agbonkhese, E. G., Aka, E. O., Joe-Abaya, J., Ocholi, M., & Adekunle, A. (2014). Flood Menace in Nigeria: impacts, remedial and management strategies. *Civil and Environmental Research*, 6(4), 32-40.
15. Ahern, M., Kovats, R. S., Wilkinson, P., Few, R., & Matthies, F. (2005). Global health impacts of floods: epidemiologic evidence. *Epidemiologic reviews*, 27(1), 36-46.
16. Ajibade, I., McBean, G. and Bezner-Kerr, R. (2013). Urban flooding in Lagos, Nigeria: Patterns of vulnerability and resilience among women. *Global Environmental Change*, 23, 1714-1725.
17. Akintola, E. O. (1994). *Flooding phenomenon*. Ibadan Region. Ibadan: Rex Charles Publication, pp.244-255.
18. Akintola, F.O., & Ikwuyatum, G.O. (2012). *Issues in sustainable flood management in Nigeria*. In Ivbijaro FA, Akintola FO. Editors; Sustainable Environmental Management in Nigeria. Ibadan, Oxford University Publishers. pp.197-207.
19. Ali, D. & Hamidu, S. (2014). Environmental hazard: climate change and flooding, the impact on the built

- environment in Nigeria. *Journal of Environmental Sciences and Resources Management*, 6(1), 136-144.
20. Andjelkovic. (2001). *Guide line on non-structural measures in urban flood management 1HP-V*. Paris: Technical Document in Hydrology, UNESCO, Paris, 50.
 21. Anih, S. C. (2004). Effective survival measures against natural hazards in settled area. In L. Mbah, U. Uchegbu, & L. Muoghalu, *Management of environmental problems and hazards in Nigeria*. England: Ashgate publishing limited.
 22. Balbi, S., Giupponi, C., Gain, A., Mojtahed, V., Gallina, V., Torresan, S., & Marcomini, A. (2012). A conceptual framework for Comprehensive Assessment of Risk Prevention Measures: The KULTU Risk Framework (KR-FWK). Available at SSRN 2184193
 23. Bashir, O., Oludare, H., Johnson, O., & Aloysius, B. (2012). Floods of fury in Nigerian cities. *Journal of Sustainable Development*, 5(7), 69-79.
 24. Bates, P.D., Dawson R.J., Hall, W.J., Horritt, M.S., Nichollos, R.J., Jon Wicks, Hassan A.M. (2005). Simple two-dimensional numerical modeling of coastal flooding and example applications. *Coastal Engineering* 52, 793-810.
 25. Bates, P.D., Matthew, S.H., Fewtrell, T.J.(2010). A simple inertial formulation of the shallow water equation for efficient two-dimensional flood inundation modeling. *Journal of Hydrology*, 387, 33-45.
 26. Bedient, P. B. & Huber, W. C. (2008). *Hydrology and Floodplain Analysis*, 4th Ed. Prentice-Hall Publishing Co., Upper Saddle River, NJ, 2008, 795 pp.
 27. Birkmann, J. (2006). Measuring vulnerability to promote disaster-resilient societies: conceptual frameworks and definitions. In J. Birkmann, *Measuring vulnerability to natural hazards: towards disaster resilient societies*. (pp. 9-54). Hong Kong: United Nations University Press.
 28. Brilly, M., & Polic, M. (2005). Public perception of flood risks, flood forecasting and mitigation. *Natural Hazards and Earth System Science*, 5(3), 345-355.
 29. Brooks, N. (2003). Vulnerability, risk and adaptation: A conceptual framework. *Tyndall Centre for Climate Change Research Working Paper*, 38, 1-16.
 30. Building Nigeria's Response to Climate Change (BNRCC). (2008). Vulnerability, impacts and adaptation. *Climate Change in Nigeria*. www.info@climatechange.org.
 31. Burby, R. J., Deyle, R. E., Godschalk, D. R., & Olshansky, R. B. (2000). Creating hazard resilient communities through land-use planning. *Natural hazards review*, 1(2), 99-106.
 32. CEA (Comit e Europ een des Assurances). (2007). Reducing the social and economic impact of climate change and natural catastrophes – insurance solutions and public-private partnerships, CEA, Brussels, Belgium.
 33. Chen, J., Hill, A.A., Urbano, D.L. (2009). A GIS-based model for urban flood inundation. *Journal of Hydrology* 373, 184-192.
 34. Chow, V.T., Maidment, D.R., Mays, L.W. (1988). *Applied Hydrology*. New York: McGraw-Hill.
 35. Clement, A. R. (2013). An application of Geographic Information System in mapping flood risk zones in a north central city in Nigeria. *African Journal of Environmental Science and Technology*, 7(6), 365-371.
 36. Cline, W.R., (2007). *Global Warming and Agriculture*. Centre for Global Development, Peterson Institute for International Economics, Washington, DC, pp. 186.
 37. Cohen, B. (2004). Urban growth in developing countries: a review of current trends and a caution regarding existing forecasts. *World Development*, 32(1), 23-51.
 38. Crichton, D. (1999). The Risk Triangle. In I. J, *Natural Disaster Management* (pp. 102-103). London: Tudor Rose.
 39. De Moel, H., van Alphen, J., Aerts, J.C. (2009). Flood maps in Europe – methods, availability and use. *Natural Hazards and Earth System Sciences*, 9, 289-301.
 40. DEFRA (Department for Environment Food and Rural Affairs) (2013). *Desktop review of 2D hydraulic modeling packages*. Environmental Agency. Bristol.
 41. DFO (Dartmouth Flood Observatory). (2004). Available at: www.dartmouth.edu/~floods/ (Accessed 30 July 2012).ref
 42. Di Baldassarre, G. and Uhlenbrook, S. (2012). Is the current flood of data enough? A treatise on research needs for the improvement of flood modeling. *Hydrological Processes* 26, 153-158.
 43. Douglas, I., Alam, K., Maghenda, M., McDonnell, Y., McLean, L., & Campbell, J. (2008). Unjust waters: climate change, flooding and the urban poor in Africa. *Environment and Urbanization*, 20(1), 187-205.
 44. draft copy (with contributions from S Pauleit, R Ennos, S Lindley, J Handley, J
 45. EA (Environment Agency). (1997). *Tyne Estuary Project 1996*. Report of the Tyne Estuary Group. Newcastle. 183pp.
 46. EA (Environment Agency). (2003). *Risk Assessment for Flood & Coastal Defence for Strategic Planning R&D Technical Report W5B-030/TR1*, Authors Sayers PB, Hall JW, Meadowcroft, IC, Dawson, R, Deakin R, Rosu C.
 47. EA (Environment Agency). (2010). *Working with natural processes to manage flood and coastal erosion risk*. London, Environment Agency.
 48. EC (European Commission). (2004). *Flood risk management - Flood prevention, protection and*

- mitigation*. Communication from the Commission to the Council, the European Parliament, the European Economic and Social Committee and the Committee of the Regions.
49. EM-DAT (The International Disaster Database). CRED. (2014). *Flooding data for Nigeria*. www.emdat.be/
 50. Etuonovbe, A. K. (2011, May). The devastating effect of flooding in Nigeria. In *FIG Working Week*.
 51. Fadairo, G., & Ganiyu, S. A. (2010). *Effects of flooding on the built environment in Akure, Nigeria*. In West Africa built environment research (water) conference. pp. 281.
 52. Fewtrell, L., & Kay, D. (2008). An attempt to quantify the health impacts of flooding in the UK using an urban case study. *Public Health*, 122(5), 446-451.
 53. FME (Federal Ministry of the Environment). (2012). Bulletin on Ecological Disasters, Abuja, Nigeria. FME.
 54. Garba, H., Ismail, A., Ibrahim, A., Ahmed, S., & Faustinus, B. Hydrological modelling of the impact of climate change on a tropical perennial river flooding. *Research Inventory: International Journal of Engineering and Science*, 3(6), 30-35.
 55. Gill, S., Pauleit, S., Ennos, A.R., Lindley, S.J., Handley, J. F., G. William, J. and Ueberjahn-Tritta, A. (2004). *Literature review: Impacts of climate change on urban environments*. Centre for Urban and Regional Ecology (CURE), University of Manchester. Available at: http://www.seed-manchester.ac.uk/cure/medialibrary/research/asccue/downloads/asccue_litreview.pdf
 56. Guha-Sapir, D., Hoyois, P.H., Below, R. (2013). *Annual Disaster Statistical Review 2012: The Numbers and Trends*. Brussels: CRED; 2013.
 57. Gupta, K. (2007). Urban flood resilience planning and management and lessons for the future: a case study of Mumbai, India. *Urban Water Journal*, 4(3), 183-194.
 58. Hassan, F. A. (2013). *A River Runs Through Egypt: Nile Floods and Civilization*. Retrieved from Geotimes: http://www.geotimes.org/apr05/feature_-NileFloods.html
 59. Hirabayashi, Y., Mahendran, R., Koirala, S., Konoshima, L., Yamazaki, D., Watanabe, S., & Kanae, S. (2013). Global flood risk under climate change. *Nature Climate Change*, 3(9), 816-821.
 60. Ho, L. T. K., Umitsu, M., & Yamaguchi, Y. (2010). Flood hazard mapping by satellite images and SRTM DEM in the Vu Gia–Thu Bon alluvial plain, Central Vietnam. *International archives of the Photogrammetry, remote sensing and spatial information science*, 38(Part 8), 275-280.
 61. Holton, R. J. (1998). Globalization and the nation state. *International Research Journal of Arts & Humanities (IRJAH)*, 160.
 62. Houston, D., Werritty, A., Bassett, D., Geddes, A., Hoolachan, A. and McMillan M. (2011). *Pluvial (rain-related) flooding in urban areas: the invisible hazard*. York, UK: Joseph Rowntree Foundation.
 63. Hunter, P. R. (2003). Climate change and waterborne and vector-borne disease. *Journal of Applied Microbiology*, 94(s1), 37-46.
 64. Huong, H. T. L., & Pathirana, A. (2011). Urbanization and climate change impacts on future urban flood risk in Can Tho city, Vietnam. *Hydrology and Earth System Sciences Discussions*, 8(6), 10781-10824.
 65. Ibitoye, M. (2007). The need for planning of peri-urban growth in south western Nigeria: the surveyors' perspective. *Symposium organized by the Nigerian Institution of Surveyors (NIS)*, (pp. 42-48). University of Lagos, Lagos.
 66. ICIMOD (International Centre for Integrated Mountain Development). (2009). *Local responses to too much and too little water in the Greater Himalayan region*. Kathmandu, Nepal: International Centre for Integrated Mountain Development.
 67. Iloje N.P. (2004). *A New Geography of Nigeria*. Lagos, Longman publishers.
 68. IPCC (Intergovernmental Panel on Climate Change). (2007). *Climate Change Impacts, adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the IPCC Assessment. Report, Summary for Policymakers*. <http://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4-wg2-spm.pdf>
 69. Jeffers, M. J. (2013). Integrating Vulnerability Analysis and Risk Assessment in Floods Loss Mitigation: An Evaluation of Barriers and Challenges based on Evidence from Ireland. *Applied Geography*, 37, 44-51.
 70. Jha, A. K., Bloch, R., & Lamond, J. (2012). *Cities and flooding: a guide to integrated urban flood risk management for the 21st century*. World Bank Publications.
 71. Jonkman, S. N., Bočkarjova, M., Kok, M., & Bernardini, P. (2008). Integrated hydrodynamic and economic modeling of flood damage in the Netherlands. *Ecological economics*, 66(1), 77-90.
 72. Kalnay, E., & Cai, M. (2003). Impact of urbanization and land-use change on climate. *Nature*, 423(6939), 528-531.
 73. Kazmierczak, A., & Carter, J. (2010). Adaptation to climate change using green and blue infrastructure. A database of case studies. *University of Manchester, GRaBS project*.
 74. Keith, C. (1999). *Getting started with Geographic Information System*. Upper Saddle River, New Jersey, USA: Prentice-Hall Inc.
 75. Kolawole, O. M., Olayemi, A. B., & Ajayi, K. T. (2011). Managing flood in Nigerian cities: Risk analysis and adaptation options–Ilorin city as a case

- study. *Archives of Applied Science Research*, 3(1), 17-24.
76. Kovacs, P. & Sandink, D. (2013). *Best practices for reducing the risk of future damage to homes from riverine and urban flooding: A report on recovery and rebuilding in southern Alberta*. Toronto, Ontario, Canada: Institute for Catastrophic Loss Reduction.
 77. Kundzewicz, Z. W. (2002). Non-structural flood protection and sustainability. *Water International*, 27(1), 3-13.
 78. Lauber, P. (1996). *Floods: Wrestling with the Mississippi*. Washington, D.C.: National Geographic Society.
 79. Li, Y., & Wang, C. (2009). Impacts of urbanization on surface runoff of the dardenne creek watershed, St. Charles county, Missouri. *Physical Geography*, 30(6), 556-573. DOI: 10.2747/0272-3646.30.6.556
 80. Manfreda, S., Di Leo, M., & Sole, A. (2011). Detection of flood-prone areas using digital elevation models. *Journal of Hydrologic Engineering*, 16(10), 781-790.
 81. Merz, B., Thieken, A. H., & Gocht, M. (2007). Flood risk mapping at the local scale: concepts and challenges. In *Flood risk management in Europe* (pp. 231-251). Springer Netherlands.
 82. Milly, P. C. Wetherald, R. T., Dunne, K. A. and Delworth, T.L. (2002). Increasing risk of great floods in a changing climate. *Nature*, 415, 514-517.
 83. Moussa, R. and Bocquillon, C. (2009). On the use of diffusive wave for modeling extremeflood events with overbank flow in the floodplain. *Journal of Hydrology* 374, 116-135.
 84. Mujumdar, P.P. (2001). Flood wave propagation: The St. Venant equations. *Resonance*, 6(5), 66-73 DOI: 10.1007/BF02839085
 85. National Population Commission (NPC) (2007). *2006 Population and Housing Census: National and State Population and Housing Tables: Priority Tables I-IV*. FCT, Abuja: Federal Government of Nigeria.
 86. Neal, J., Schumann, G., Fewtrell, T., Budimir, M., Bates, P., & Mason, D. (2011). Evaluating a new LISFLOOD-FP formulation with data from the summer 2007 floods in Tewkesbury, UK. *Journal of Flood Risk Management*, 4(2), 88-95.
 87. NEMA (Nigerina Emergency Management Agency). (2013). *Report on flood disasters in Nigeria*. Abuja: Government Press.
 88. NEST (Nigeria Environmental Study/Action Team). (1991). *Nigeria's threatened environment: A national profile*. Ibadan, Nigeria: NEST. Location: IRC Main, 824 NG91, 9582.
 89. NIHSA (Nigeria Hydrological Services Agency). (2013). *2013 Flood outlook*. <http://www.nihydro.gov.-ng/wp-content/uploads/2012/08/AMENDED-REPORT-OF-The-Nigerian-Hydrological-Services-Agency.pdf>
 90. Nijland, H. (2005). Sustainable development of floodplains (SDF) project. *Environmental Science and Policy*, 8, 245-252.
 91. Nkwunonwo, U. C., Whitworth, M., Baily, B., & Inkpen, R. (2014). The Development of a Simplified Model for Urban Flood Risk Mitigation in Developing Countries. In *Vulnerability, Uncertainty, and Risk@ Quantification, Mitigation, and Management* (pp. 1116-1127). ASCE.
 92. Nwilo, P.C., Olayinka, D.N., Adzandeh, A.E. (2012). Flood modeling and vulnerability assessment of settlements in the Adamawa state floodplain using GIS and cellular framework. *Global Journal of Human Social Science* 12 (3), 10-20.
 93. Obeta, C. M. (2014). Institutional Approach to Flood Disaster Management in Nigeria: Need for a Preparedness Plan. *British Journal of Applied Science & Technology*, 4(33), 4575-4590.
 94. Obeta, M.C. (2009). Extreme river flood events in Nigeria: A geographical perspective of Nigerian. *Journal of Geography and the Environment*, 1, 170-179.
 95. OCHA (UN office for the Coordination of Humanitarian Affairs). (2012). *Nigeria: floods, emergency situation report no 2*. Available at: www.ochaonline.un.org/rowca
 96. Ochuko, M. O. (2014). Solid waste management in Obantoko area of Abeokuta, Nigeria. *Journal of Emerging Trends in Engineering and Applied Sciences*, 5(2), 111-115.
 97. Odunuga, S. (2008). *Urban land use change and the flooding in Ashimowu watershed, Lagos, Nigeria*. University of Lagos, Nigeria: PhD thesis.
 98. Ogunbodede, E. F., & Sunmola, R. A. (2014). Flooding and traffic management in Akure (Nigeria) metropolitan environment. *International Journal of Innovation and Scientific Research*, 7(2), 121-130.
 99. Ogwuche, J. A., & Abah, I. A. (2014). Assessment of Flood Disaster Vulnerability for Flood Insurance Programme in Part of Makurdi Floodplain, Benue State, Nigeria. *Donnish Journal of Ecology and the Natural Environment*, 1(1), 1-5.
 100. Ojigi, M. L., Abdulkadir, F. I. and Aderoju, M. O. (2013). *Geospatial Mapping and Analysis of the 2012 Flood Disaster in Central Parts of Nigeria*. 8th National GIS Symposium. Dammam. Saudi Arabia. April 15-17, 2013, 1067-1077.
 101. Oki, T., & Kanae, S. (2006). Global hydrological cycles and world water resources. *Science*, 313(5790), 1068-1072.
 102. Olalekan, A. (2013). The Inconsistency of the Flood Narrative in Nigeria. <http://www.eir.info/2013-02/04/the-inconsistency-of-the-flood-narrative-in-nigeria/>
 103. Ologunorisa, T. E., & Adeyemo, A. (2005). Public perception of flood hazard in the Niger Delta, Nigeria. *Environmentalist*, 25(1), 39-45.

104. Ologunorisa, T.E. (2004). An assessment of flood vulnerability zones in the Niger delta, Nigeria. *International Journal of Environmental Studies*, 61(1), 31-38.
105. Olorunfemi, F.B. (2011). *Managing flood disasters under a changing climate: lessons from Nigeria and South Africa*. Paper presented at NISER Research Seminar Series, NISER, Ibadan. 3rd May, 2011.
106. Onwuteaka, J. (2014). GIS Modeling of Flooding Exposure in Nigerian Coastal Areas from Sea Level Rise. *Journal of Environment and Earth Science*, 4(12), 81-94.
107. Peduzzi, P., Dao, H., Herold, C., & Mouton, F. (2009). Assessing global exposure and vulnerability towards natural hazards: the disaster risk index, *Natural Hazards Earth System Science*, 9, 1149–1159, doi: 10.5194/nhess-9-1149-2009
108. Penning-Rowsell, E., Floyd, P., Ramsbottom, D., & Surendran, S. (2005). Estimating injury and loss of life in floods: a deterministic framework. *Natural Hazards*, 36(1-2), 43-64.
109. Pinho, J., Ferreira, R., Vieira, L., & Schwanenberg, D. (2014). Comparison between two hydrodynamic models for flooding simulations at river Lima basin. *Water Resources Management*, 1-14.
110. Pitt, M. (2008). *Lessons from the 2007 floods*. London: Pitt Review.
111. Plate, E. J. (2002). Flood risk and flood management. *Journal of Hydrology*, 267(1), 2-11.
112. Raaijmakers, R., Krywkow, J., & van der Veen, A. (2008). Flood risk perceptions and spatial multi-criteria analysis: an exploratory research for hazard mitigation. *Natural Hazards*, 46(3), 307-322.
113. Renyi, L., & Nan, L. (2002). Flood area and damage estimation in Zhejiang, China. *Journal of environmental management*, 66(1), 1-8.
114. Sassen, S. (2000). The global city: strategic site/new frontier. *American Studies*, 79-95.
115. Sayers, P., Li, Y., Galloway, G., Penning-Rowsell, E., Shen, F., Wen, K., Chen, Y., & Le Quesne, T. (2013). *Flood Risk Management: A Strategic Approach*. Paris, UNESCO.
116. Sayers, P.B., J.W. Hall, J.W., & I. C. Meadowcroft, I.C. (2002). *Towards risk-based flood hazard management in the UK*. Proceedings of ICE Civil Engineering 150 May 2002, Pages 36-42 Paper 12803
117. Seto, K. C., & Shepherd, J. M. (2009). Global urban land-use trends and climate impacts. *Current Opinion in Environmental Sustainability*, 1(1), 89-95.
118. Shuster, W. D., Bonta, J., Thurston, H., Warnemuende, E., & Smith, D. R. (2005). Impacts of impervious surface on watershed hydrology: A review. *Urban Water Journal*, 2(4), 263-275.
119. Smith, K. and Ward, R. (1998). *Floods: Physical Processes and Human Impacts*. Chichester: John Wiley and Sons Ltd.
120. Tapsell, S. M., & Tunstall, S. M. (2008). "I wish I'd never heard of Banbury": The relationship between 'place' and the health impacts from flooding. *Health & place*, 14(2), 133-154.
121. Tapsell, S. M., Penning-Rowsell, E. C., Tunstall, S. M., & Wilson, T. L. (2002). Vulnerability to flooding: health and social dimensions. *Philosophical Transactions of the Royal Society of London. Series A: Mathematical, Physical and Engineering Sciences*, 360(1796), 1511-1525.
122. Tarekegn, T. H., Haile, A. T., Rientjes, T., Reggiani, P., & Alkema, D. (2010). Assessment of an ASTER-generated DEM for 2D hydrodynamic flood modeling. *International Journal of Applied Earth Observation and Geoinformation*, 12(6), 457-465.
123. Tarlock, A. D. (2012). United States Flood Control Policy: The Incomplete Transition from the Illusion of total protection to risk management.
124. Tate, E. and Cutter, S. (2010). Integrated multihazard mapping. *Environmental and Planning B: Planning and Design*, 37, 646-663.
125. Terungwa, U. C., & Torkwase, I.C. (2013). Current issues in flood disaster: challenges and implications for science and technology to enhance environmental education. *Academic Journal of Interdisciplinary Studies*, 2(6), 61-65.
126. Thompson, J. R., & Hollis, G. E. (1995). Hydrological modeling and the sustainable development of the Hadejia-Nguru wetlands, Nigeria. *Hydrological Sciences Journal*, 40(1), 97-116.
127. Tunstall, S., Tapsell, S., Green, C., Floyd, P., & George, C. (2006). The health effects of flooding: social research results from England and Wales. *J Water Health*, 4, 365-380.
128. UN (United Nations). (2007). *World Population Prospects: the 2006 revision - executive summary*. Department of Economic and Social Affairs, population division, United Nations. New York.
129. UN International Strategy for Disaster Reduction (UNISDR). (2008). *Indigenous Knowledge for Disaster Risk Reduction: Good Practices and Lessons Learned from Experiences in the Asia-Pacific Region*. Bangkok, UNISDR Asia and Pacific.
130. UN/ISDR: United Nations International Strategy for Disaster Reduction. (2004). *Living with Risks: A global Review of Disaster Reduction Initiatives. 2004 Version Volume 1*. Retrieved from UN/ISDR: http://www.unisdr.org/files/657_lwr1.pdf
131. United Nations. (2004). *World Population to 2300*. New York: United Nations Department of Economic and Social Affairs, Population Division.
132. UNSTTPUNDA (United Nations System Task Team on the Post-2015 UN Development Agenda). (2012). *Disaster and Resilience*. United Nations. New York.
133. Uzochukwu, C. E., Ekwugha, U. P., & Marion, N. E. (2014). Media coverage of the environment in

- Nigeria: issues and prospects. *International Journal of Social Sciences and Humanities Review*, 4(4).
134. Van Alphen, J., Martini, F., Loat, R., Slomp, R., & Passchier, R. (2009). Flood risk mapping in Europe, experiences and best practices. *Journal of Flood Risk Management*, 2(4), 285-292.
 135. Van de Sande, B., Lansen, J., & Hoyng, C. (2012). Sensitivity of Coastal Flood Risk Assessments to Digital Elevation Models. *Water*, 4(3), 568-579.
 136. Van der Sande, C.J., de Jong, S.M., de Roo, A.P.J. (2003). A segmentation and classification approach of IKONOS-2 imagery for land cover mapping to assist flood risk and flood damage assessment. *International Journal of Applied Earth Observation and Geoinformation*, 4, 217-229.
 137. Vis, M., Klijn, F., De Bruijn, K. M., & Van Buuren, M. (2003). Resilience strategies for flood risk management in the Netherlands. *International journal of river basin management*, 1(1), 33-40.
 138. Ward, R.C. and Robinson, M. (2000). Principles of Hydrology: 4th Edition. London: McGraw-Hill Publishing Company. ISBN 0077095022
 139. Water UK (2008). *Lesson Learned from Summer Floods 2007 – Phase 1 report – Emergency Response*. Review Group on Flooding.
 140. Wilson, S., Temple, B., Milliron, M., Vazquez, C., Packard, M., & Rudy, B. (2007). *The Lack of Disaster Preparedness by the Public and its Affect on Communities*. *The Internet Journal of Rescue and Disaster Medicine*, 7(2). Available at: <https://ispub.com/IJRDM/7/2/11721>
 141. WMO (World Meteorological Organization). (2008). *Urban flood risk management: a tool for integrated flood management*. World Meteorological Organization.
 142. Wolski, P., Savenije, H. H. G., Murray-Hudson, M., & Gumbrecht, T. (2006). Modeling of the flooding in the Okavango Delta, Botswana, using a hybrid reservoir-GIS model. *Journal of Hydrology*, 331(1), 58-72.
 143. World Bank. (2013). *The world Bank: Working for a world free of poverty, Population (Total)*. Washington, DC: World Bank Group.
 144. Zerger, A., & Wealands, S. (2004). Beyond modeling: linking models with GIS for flood risk management. *Natural Hazards*, 33(2), 191-208.
 145. Zhang, Q., Liu, C., Xu, C. Y., Xu, Y., & Jiang, T. (2006). Observed trends of annual maximum water level and stream flow during past 130 years in the Yangtze River basin, China. *Journal of Hydrology*, 324(1), 255-265.
 146. Zhu, D., Zhou, N., Jiang, S. (2011). Research overview of runoff model for urban rainwater. *Journal of Water Resources and Water Engineering* 22. 132-137 (in Chinese).