# Global Journals LATEX JournalKaleidoscope<sup>TM</sup>

Artificial Intelligence formulated this projection for compatibility purposes from the original article published at Global Journals. However, this technology is currently in beta. Therefore, kindly ignore odd layouts, missed formulae, text, tables, or figures.

# Social Support and Sex Role Orientation as Predictors of Quality of Life in Senior Citizens

Yajvinder<sup>1</sup> and Dr. Anita Sharma<sup>2</sup>

<sup>1</sup> HIMACHAL PRADESH UNIVERSITY

Received: 16 December 2019 Accepted: 1 January 2020 Published: 15 January 2020

#### Abstract

- 8 The present study was aimed to explore the relationship of social support and sex role
- orientation with quality of life in senior citizens. The sample comprised of 400 senior citizens
- with equal number of educated males and females (200 each). The analysis revealed that for
- the male?s sample, social support explained the maximum variance (5

*Index terms*— social support, sex-role orientation, quality of life, gender.

## 1 Introduction

t's not enough to just be alive. Good quality of life is especially important for older adults who are dealing with chronic health conditions and major life changes. Life, as are many things, is often not always about quantity so much as it is about quality. Aging seniors often face losses in the quality of their lives well before they face the end of their days. In fact, having a positive view of life can help seniors have more energy, less stress, better appetite, and prevent cognitive decline.

Globally, quality of life among elderly is an important area of concern which reflects the health status and well-being of this population. Quality of life is affected by the many demanding situations and associated with aging related factors that are changing in health status, coping with new restrictions in life, identifying new roles, opportunities and available social support (Rayirala, Nallapaneni, Bhogaraju, & Mandadi, 2016).

Social support may play a particular important role in maintaining health and decreasing susceptibility to illness among the elderly (Pilisuk & Parks, 1988). Senior citizens with loss of social support have been observed to be at a higher mortality health risk (Silverstein & Bengtson, 1991) and higher levels of psychological distress due to mistreatment (Comijs, Penninx, Knipscheer & van Tilburg, 1999).

Social support is a tangible or an instrumental support which includes physical or financial assistance and emotional support from family, friends and neighbours which leads an individual to feel a sense of belonging (Tomaka, Thompson & Palacios, 2006).

Loss of social support harms the quality of life (Baxter, Shetterly, Eby, Mason, Cortese & Hamman, 1998). In a social milieu where family networks continue to be the major source of psychosocial support and deep-rooted culture norms and perception regarding the family, although apparently dwindling in the near past, the role of the family as the crucial source of social support for the elderly people assumes a greater significance. Thus, effective family support is a key component of the overall well-being of the elderly people (Naing, Nanthamongkolchai & Munsawaengsub, 2010). In the elderly, social aspects involve social networks and social support. Better social networks, which are linkages among group of known people, and better social support lead to better health outcome and well-being. Relationships protect from insecurity and psychosocial risk and hence are important for a good quality of life ??Cavallero, Underlying the importance of these factors, the present study is aimed at testing these formulations to understand the exact variance contributed by the sex role orientation and social support on quality of life in senior citizens.

## 42 **2** II.

## <sup>43</sup> 3 Method a) Sample

A sample of the study comprised of 400 educated senior citizens with equal number of males and females (200 each) above 60 years of age group from different districts of Himachal Pradesh. The sample was selected on the basis of purposive convenient sampling technique.

## 4 b) Design

A correlational design was used to see the association between social support and sex-role orientation with quality of life. Regression analysis was computed separately for both the genders (males and females) to find out the best set of predictors of quality of life. t-test was also computed to find out the significance of differences on all the predictor variables and criterion variable.

## 52 **5 c**) Tools

Social Support (Zimet, Dahlem, Zimet, & Farley, 1988): Social support was with the Multidimensional Scale 53 of Perceived Social Support. The MSPSS was designed to assess the perceived adequacy of social support from 54 family, friends, and significant others (Zimet, Dahlem, Zimet, & Farley, 1988). The MSPSS comprises of 12 items, 55 four items in each of three subscales. Items for each source are scored on a seven-point Likert-type scale ranging 56 from "very strongly disagree" (1) to "very strongly agree" (7). Each set of items provides an index of support 57 from each source. The subscale score for each respondent is computed by summing the ratings for each item 58 for each support scale and then dividing the resulting total by 4. For the total score, ratings are summed and 59 divided by 12. Total and subscale scores range from 1 to 7, with high scores indicating a heightened perception 60 61 of available social support. For this study, the focus was on the total score. (Bem, 1974): This scale is used to 62 measure sex-role orientation. This scale treats masculinity/femininity as two orthogonal dimensions rather than 63 as two ends of a single dimension?? Bem & Watson, 1976). It consists of sixty personality characteristics. Twenty of the characteristics are stereotypically feminine e.g., affectionate, gentle, understanding, sensitive to needs of 64 others etc. and twenty are stereotypically masculine e.g., ambitious, self-reliant, independent, assertive etc. The 65 BSRI also contains twenty characteristics that serve as buffer items e.g., truthful, happy, conceited etc. When 66 taking the BSRI, an individual is asked to indicate on a 7 point scale, how well each of the 60 characteristics 67 describes herself or himself. The scale ranges from 1 (never or almost never true) to 7 (always or almost always 68 true) and is labeled at each point. ??WHOQOL, 1996): The data were collected with a questionnaire named 69 WHOQOL-BREF (1996) conceptualized by Alisen Harper. The 26 items WHOQOL-BREF consist of two overall 70 items measuring general quality of life and health conditions and 24 items that are universally adopted for the 71 WHOQOL-BREF in four domains are health, psychological well being, social relationship and environment. Each 72 item was rated on a 5 point likert scale (higher score denotes higher quality of life). 73

# 4 6 Bem Sex Role Inventory

# 75 **WHOQOL-BREF**

## 76 **8 III.**

#### 77 9 Results

Results indicate that quality of life of male senior citizens is significantly and positively correlated with social 78 support, r = .329\*\* (p < .01) and femininity r = .246\*\* (p < .01) and in female senior citizens, only social support, 79 r = .457\*\* (p<.01) has turned out to be the significant correlate of quality of life (see figure ??). In the male's 80 sample, when independent variables were entered in the regression model with quality of life, social support 81 emerged as the best predictor accounting for 5% of variance. A significant increase of 4% was observed in R 2 82 when it was entered along with femininity accounting for 9% of the total variance in quality of life (see table??). 83 Whereas in female's sample, when independent variables were entered in the regression model with quality of 84 life, social support emerged as the only best predictor accounting for 5% of variance in quality of life (see table 85 ??). Results have further shown the superiority of males on quality of life with t=1.98, p<.05, masculinity with 86 t=1.92, p<.05 and femininity with t=1.68, p<.05 to that of females and female's superiority on social support, 87 t=6.82, p<.01 to that of males. 88

## 89 10 IV.

## 90 11 Discussion

In the regression analysis of both the samples, social support has come up as the best and common predictor of quality of life. Social support is the emotional and practical support received from family and friends (Ajrouch, Blandon & Antonucci, 2005). Support from family and friends help overcome loneliness and health problems related to aging. Family relations are important aspect of healthy aging among the elderly and the lack of social

support and family and friends may likely cause the individual to perceive old age as uncertain and insecure ??Khan & Tamir, 2014). Social support is the particular source of happiness and subjective well-being of senior citizens (Sharma & Malhotra, 2010). Social support is important for the quality of life of senior citizens, as it gives one a feeling of being loved, cared for, and esteemed, valued and belonging to a network of communication and mutual belongingness (Singh, 2005; Sharma, 2011). Several studies showed that family support and social relationship are positively related to a better quality of life Volume XX Issue IV Version I 40 (A) (Sharma, 2011; Siedlecki, Salthouse, Oishi & Jeswani, 2014; Kumcagiz & Sahin, 2017). The reason being that elderly people who receive sufficient support from family, friends tend to develop positive attitudes and behaviours, improve social skills which in turn have a positive effect on quality of life. Moreover, social support independently affects mood and well-being in the elderly and risk of depression increases with the severity of loneliness (Golden, Conroy, Bruce, Denihan, Greene, Kirby, & Lawlor, 2009). Another study found that older adults who had poorer social network had also worse quality of life (Garcia, Banegas, & Paerez-Regadera, 2005). Kahan, Hessling, & Russell (2003) found that relationship between perceived social support and psychological well-being were quite strong. Moreover, increased socialization is advantageous for emotional health and overall well-being. Femininity is another important factor that has predicted the quality of life in male senior citizens. A feminine individual is one who endorses more feminine characteristics such as gentleness, patience, kindness and concern for interpersonal relationship and emotional expression. Males with more femininity traits exhibit higher levels of internal health control and higher levels of psychological well-being (Matud, Garcia, & Fortes, 2019; Pudrovska, 2015; Priess, Lindberg, & Hyde, 2009).

The results further revealed the superiority of male senior citizens on quality of life, masculinity and femininity to that of females who have scored significantly higher on social support. Male senior citizens reported significantly better quality of life than females. The reason being that males are more committed, take the challenges willingly and control their emotions which strengthen their physical and mental power thereby improving quality of life and overall subjective well-being (Singh, 2005; Sharma, 2011). Men have less health problem and better quality of life in comparison to women. This may be related with the culture that men have dominance in traditional Indian family structure. They have better social life, economic freedom and less responsibility (Deshmukh, Dangre, Rajendran & Kumar, 2015). On masculinity, males have scored significantly higher indicating stereotypical gender differences. Men endorsed masculinity traits to a greater extent than did women. On femininity, males have scored significantly higher because they are trying to show that they are more kind-hearted and care for others which is desirable in society and they think that endorsing feminine traits will make them better character as men (Strough, Leszczynski, Neely, Flinn & Margrett, 2007). On social support, females have scored significantly higher pointing to the fact that females participate in more domestic activities and keep busy themselves in social activities and hence get more social support which enhances their quality of life and overall well-being (Sharma, 1995; Sharma, 2011). Females tend to report larger social networks than males and turn to others for emotional support in stressful circumstances (Taylor, Klein, Lewis, Gruenewald, Gurung, & Updegraff, 2000). According to Kessler, McLeod and Wethington (1985) women provide more emotional support to both men and women and they get more help in return. Moreover, women are generally more empathetic and expressive than men (Bell, 1981).

V.

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110 111

112

113

114

115

116

117

118

119

120

121

122

123 124

125

126

127

128

129

130

131

132

134

135

136

137

138

139

140

141

## 12 Conclusion

In a nutshell, social support has been found to be the common significant predictor of quality of life in senior citizens (males and females). Moreover, significant gender differences have been found on quality of life, masculinity, femininity and social support. The papers' findings point to the need to encourage both the genders to imbibe each other's characteristics for proper adjustment and better quality of life. Further, senior citizens must be encouraged to spend more time with family and friends, to actively participate in collective activities and actively talk to family members or friends when encountering troubles or are confused with something. This way their quality of life may be enhanced. <sup>1</sup>

 $<sup>^1\</sup>mathrm{Year}$  2020 © 2020 Global Journals Social Support and Sex Role Orientation as Predictors of Quality of Life in Senior Citizens

 $<sup>^2</sup>$ © 2020 Global Journals Social Support and Sex Role Orientation as Predictors of Quality of Life in Senior Citizens

- 142 [Golden et al. ()] , J Golden , R M Conroy , I Bruce , A Denihan , E Greene , M Kirby , B A Lawlor . 2009.
- [Rayirala et al. ()] 'A cross sectional comparative study assessing the quality of life in elderly living in old age homes and community and association of various factors with quality of life in Telangana'. A Rayirala , N R Nallapaneni , A Bhogaraju , G D Mandadi . *Journal of Psychiatry* 2016. 2 (1) p. .
- <sup>146</sup> [Priess et al. ()] 'Adolescent gender-role identity and mental health: gender intensification revisited'. H A Priess , S M Lindberg , J S Hyde . *Child Development* 2009. 80 (5) p. .
- [Pilisuk and Parks ()] 'Caregiving: Where families need help'. M Pilisuk , S H Parks . Social Work 1988. 33 (5) p. .
- [Barrett-Connor ()] 'Comentry: Masculinity, femininity and heart disease'. E Barrett-Connor . International
   Journal of Epidemiology 2007. 36 (3) p. .
- [Hunt et al. ()] 'Decreased risk of death from coronary heart disease amongst men with higher "femininity" scores: A general population cohort study'. K Hunt , H Lewars , C Emslie , D Batty . *International Journal of Epidemiology* 2007. 36 (3) p. .
- [Singh ()] 'Determinants of health of retirees'. S Singh . *Health Psychology*, Rajbir Singh, Amrita Yadav, Nav Rattan, Sharma (ed.) (New Delhi) 2005. Global Vision Publishing House.
- [Silverstein and Bengtson ()] 'Do close parent-child relations reduce the mortality risk of older parents?'. M Silverstein , V L Bengtson . *Journal of Health and Social Behavior* 1991. 32 (4) p. .
- [Bell ()] 'Friendship of women and men'. R R Bell . Psychology of Women Quarterly 1981. 5 (3) p. .
- [Strought et al. ()] 'From adolescence to later adulthood: femininity, masculinity, and androgyny in six age groups'. J Strought , J P Leszczynski , T L Neely , J A Flinn , J Margrett . Sex Roles 2007. 57 (5-6) p. .
- [Pudrovska ()] 'Gender and health control beliefs among middle aged and older adults'. T Pudrovska . Journal of Aging and Health 2015. 27 (7) p. .
- [Gale-Ross et al. ()] 'Gender role, life satisfaction, and wellness: Androgyny in a Southwestern Ontario sample'.
   R Gale-Ross , A Baird , S Towson . Canadian Journal of Aging 2009. 28 (2) p. .
- [Radley et al. ()] 'Gender-role identity after heart attack: Links with sex and subjective health status'. A Radley , A Grovea , S Wrightb , H Thurstone . *Psychology and Health* 2000. 1 p. .
- [Sharma ()] Influence of certain psychosocial factors on psychological well-being of retirees, N Sharma . 1995.
   Chennai. University of Madras (Unpublished Doctoral Thesis)
- [Khan and Tahir ()] 'Influence of social factors to the quality of life of the elderly in Malaysia'. A R Khan , I Tahir . Open Medicine Journal 2014. 1 (1) p. .
- 172 [Loneliness, social support networks, mood and well-being in community dwelling elderly International Journal of Geriatric Psych 173 'Loneliness, social support networks, mood and well-being in community dwelling elderly'. *International* 174 *Journal of Geriatric Psychiatry* 24 (7) p. .
- [Chong et al. ()] 'Positive aging: the views of middle-aged and older adults in Hong Kong'. Am-L Chong , S H Ng , J Woo , Ay-H Kwan . Aging and Society 2006. 26 (2) p. .
- [Sharma and Malhotra ()] 'Psycho-Social predictors of happiness disposition in the genders'. A & Sharma , D K Malhotra . Journal of Indian Health Psychology 2010. 4 (2) p. .
- [Comijs et al. ()] 'Psychological distress in victims of elder mistreatment: the effects of social support and coping'.

  H C Comijs, B W Penninx, K P Knipscheer, W Van Tilburg. Journal of Gerontology 1999. 54 (4) p. .
- [Naing et al. ()] 'Quality of life of the elderly people in Einme Township, Irrawaddy division'. M M Naing , S
   Nanthamongkolchai , C Munsawaengsub . Mayanmar. Asian Journal Public Health 2010. 1 p. .
- [Matud et al. ()] 'Relevance of gender and social support in self-rated health and life satisfaction in elderly Spanish people'. M P Matud , M C Garcia , D Fortes . *International Journal of Environment Research and Public Health* 2019. 16 (15) p. .
- [Deshmukh et al. ()] 'Role of social, cultural and economic capitals in perceived quality of life among old age people in Kerala'. P R Deshmukh , A R Dangre , K P Rajendran , S Kumar . *India. Indian Journal of Palliative Care* 2015. 21 (1) p. .
- 189 [Batlis and Small ()] 'Sex roles and type A behaviour'. N Batlis , A Small . Journal of Clinical Psychology 1982. 190 38 (2) p. .
- [Garcia et al. ()] 'Social network and health-related quality of life in older adults: a population based study in Spain'. E L Garcia , J R Banegas , A G Paerez-Regadera . *Quality Life Research* 2005. 14 (2) p. .
- [Baxter et al. ()] 'Social network factors associated with perceived quality of life. The San Luis Valley Health and Aging Study'. J Baxter , S M Shetterly , C Eby , L Mason , C F Cortese , R F Hamman . *Journal of Aging and Health* 1998. 10 (3) p. .

- <sup>196</sup> [Ajrouch et al. ()] 'Social networks among men and women: the effects of age and socio-economic status'. K J Ajrouch , A Y Blandon , T Antonucci . *The Journal of Gerontology* 2005. 60 (6) p. .
- [Kahan et al. ()] 'Social support, health and well-being among the elderly: What is the role of negative affectivity?'. J H Kahan, R M Hessling, D W Russell. Personality and Individual Differences 2003. 35 (1) p. .
- [Sharma ()] 'Subjective well-being of retired teachers: The role of psycho-social factors'. A Sharma . International Journal of Psychological Studies 2011. 3 (1) p. .
- [Taylor et al. ()] S E Taylor , L C Klein , B P Lewis , T L Gruenewald , R A R Gurung , J A Updegraff .

  Biobehavioral responses to stress in females: Tendand-befriend, not fight-orflight, 2000. 107 p. .
- [Kessler et al. ()] 'The costs of caring: A perspective on the relationship between sex and psychological distress'.

  R C Kessler , J D Mcleod , E Wethington . Social Support: Theory, Research and Applications, 1985. 24 p. .
- [Helgeson ()] 'The effects of masculinity and social support on recovery from myocardial infarction'. V S Helgeson .  $Psychosomatic \ Medicine \ 1991. \ 53 \ (6) \ p.$  .
- [Bem ()] 'The Measurement of Psychological Androgyny'. S Bem . Journal of Consulting and Clinical Psychology 1974. 42 (2) p. .
- [Tomaka et al. ()] 'The relation of social isolation, loneliness, and social support to disease outcomes among the elderly'. J Tomaka , S Thompson , R Palacios . *Journal of Aging Health* 2006. 18 (3) p. .
- [Kumcagiz and Sahin ()] 'The relationship between quality of life and social support among adolescents'. H Kumcagiz , C Sahin .  $ERPA.\ SHS\ Web\ of\ Conference\ 2017.\ 37\ p.$  .
- [Siedlecki et al. ()] 'The relationship between social support and subjective well-being across age'. K L Siedlecki , T A Salthouse , S Oishi , S Jeswani . Social Indicators Research 2014. 117 (2) p. .
- [Cavallero et al. ()] 'The social relations of the elderly'. P Cavallero , F Morino-Abbele , B Bertocci . Archives of Gerontology and Geriatrics 2007. 44 (1) p. .