

1 Incidence of Poverty and Vulnerability to HIV/AIDS Attack in 2 South Western Nigeria

3 Dr. I.O. Fayomi¹

4 ¹ Obafemi Awolowo University, Ile-Ife.

5 *Received: 12 December 2011 Accepted: 5 January 2012 Published: 15 January 2012*

6

7 **Abstract**

8 This study sets out to examine the relationship between level of poverty and vulnerability to
9 attack of HIV/AIDS. It attempted to analyse the probability of attack of AIDS especially
10 among female adolescents if their economic condition of living is poor. The study adopted both
11 primary and secondary sources of data. Primary data were obtained from interview conducted
12 on few randomly selected (100) patients of the People Living With HIV/AIDS in Ilesa Osun
13 State, South Western Nigeria while the secondary data were gathered through journal articles,
14 government documents, library, internet and daily news papers. .The findings of the study
15 revealed that there is a positive relationship between level of poverty and infection of
16 HIV/AIDS especially among female adolescents It further revealed that the poor female
17 adolescents are more susceptible to attack of HIV/AIDS infection than those coming from the
18 rich family background. This assertion was confirmed by 70 percent of our respondentsThe
19 paper concluded that there is a strong relationship between poverty among female adolescents
20 and tendency to be vulnerable to HIV/AIDS attack.

21

22 **Index terms**— Poverty and Vulnerability.

23 **1 Introduction**

24 health is wealth and it is a trite fact that socioeconomic development of any nation is a function of how healthy her
25 population would be. Nigeria is presently facing a health crisis. This is so as there are social and cultural factors
26 that contribute to the bane of the Nigerian health care system. Hitherto, infectious and parasitic diseases account
27 for nearly 2/5 of deaths in Nigeria and these are preventable and curable Akinkugbe, ??1996). Unfortunately
28 Nigeria is now among the 24 poorest countries of the world with her low per capita income. She is now ranked
29 one of the countries with the lowest level of child survival and one of the highest level of maternal mortality in
30 the world Orubuloye and Ajakaiye, ??2000).

31 Worse still, 3.47 million people are estimated to be living with HIV/AIDS with the highest concentration
32 of those infected in the age bracket 15-49 (Federal Ministry of Health publication and the 2001 National HIV
33 sentinel survey). The current prevalence rate of HIV infection in Nigeria among sexually active members of the
34 population is said to be 5.8% and 4.3% in Osun State ??FMOH 2005).

35 Author : Department of Public Administration, Faculty of Administration, Obafemi Awolowo University,
36 Ile-Ife. E-mail : Ikekayomi2002@yahoo.com II.

37 **2 Review of Literature and Conceptualisation**

38 HIV infection is a slowly progressive killer disease and it is one of the greatest problems of late 20th century
39 that has attracted the attention of health policy makers. The fatal devastating effect of this mysterious disease
40 is felt in all countries of the world. There is hardly any community that is immuned or totally free from the
41 killer disease. This makes it pandemic. The cure for HIV/AIDS has continued to defy scientific research as it is

6 CARING FOR PEOPLE LIVING WITH HIV/AIDS

42 a mystery to health policy makers, medical scientists/professionals, health administrators and researchers. Two
43 decades have rolled by when the first case was diagnosed in Nigeria in 1986 and yet no cure is in sight. Thus
44 this study will identify the general causes of the attack of HIV/AIDS in the Southwestern Region of Nigeris; and
45 establish any correllation between poverty as a variable and vulnerability to AIDS attack among the victims of
46 AIDS.

47 The pandemic disease has not shown any signs of slowing down and the prevalence remains unacceptably high
48 at 5.0% as reflected by 2003 adult prevalence survey, (Federal Ministry of Health Abuja).

49 Acquired immune Deficiency Syndrome (AIDS) is a disease of immune system that makes the individual
50 highly vulnerable to life threatening infections and diseases. AIDS is said to be caused by retrovirus known in
51 the medical field as the human immunodeficiency virus or HIV which attacks and impairs the body's natural
52 defense system against diseases and infections. Thus HIV is a slow-acting virus that may take years to produce
53 illness in a person. An HIV -infected person's defense system is impaired and consequently other viruses, bacteria,
54 fungi and parasites take advantage of this opportunity to further weaken the body and cause various illnesses
55 and conditions such as pneumonia, tuberculosis, cancer, oral thrush, diarrhea etc. Currently there is no cure for
56 the disease.

57 3 III.

58 4 Transmission

59 The disease is transmitted through three primary routes: i. Having unprotected sex with a person already
60 carrying the HIV virus.

61 ii. This study attempts to grope into the causal relationship between poverty level of individual and
62 vulnerability to HIV and to this end, a review of literature on epidemiology is addressed to establish a non
63 clinical factors that can cause individuals to be vulnerable to the attack of the infectious killer disease (HIV) and
64 suggest health policy directions and measures to be taken by health public policy makers. While Nigeria has not
65 suffered the same prevalence of HIV as countries in East and South Africa, the effects of the pandemic disease
66 are no less devastating. According to the Federal Ministry of Health ??FMOH, 2003), AIDS is one of the top
67 leading causes of death in adults aged 15-49 years.

68 The results of the 2003 National Seroprevalence sentinel survey recently released found the median prevalence
69 rate to be about 5% lower than the 5.8% recorded three years previously. There are marked variations in the
70 locations in which the sentinel survey was conducted with certain locations indicating explosive epidemics while
71 others had lower prevalence. There is no exaggeration that no community is exempted as nearly all states now
72 have general population prevalence of over 1%. Literature has revealed that, generally the highest prevalence
73 was found in the age bracket 20-29 years. In Nigeria, going by zones, the highest prevalence was in the North
74 Central Zone while the lowest was said to be in the South West Zone while HIV prevalence was higher in urban
75 population than in the rural area, except in South East zone. Generally, rural prevalence was close to urban
76 hence the need to target both populations equally.

77 Furthermore, Cross River State had the highest recorded prevalence of 12%, Benue State 9.3%, Federal Capital
78 Territory 8.4% while the lowest prevalence was found to be in Osun State at 1.2%. It has been observed that
79 90-95% of HIV transmission in Nigeria is through unprotected sex, the 2003 sentinel survey uncovered a high
80 HIV prevalence in women who had ever had a blood transfusion in the northern states Akinrinola et al, (2004).
81 We will now examine basic clinical concept and management IV.

82 5 Basic Clinical Concept and Management

83 HIV is expanding rapidly and is depleting progressively the immune defense mechanism of those affected with
84 the virus and according to (Gilks, etal 1998) elicits different responses among those infected depending on some
85 factors which include the environment, nutritional status and even emotional characteristics of those infected.

86 On the clinical side, the word 'syndrome' has often been used to capture a collection of clinical signs and
87 symptoms that are characteristically seen in an infection. All the disease entities or signs and symptoms that
88 have been documented in HIV infection that ultimately leads to the syndrome called AIDS are endemic in human
89 beings for centuries. Such symptoms include tuberculosis, loss of weight, fever, diarrhea, pneumonia, skin rashes,
90 neurological problems and eye problem etc. However, there are "individual responses" to infections and situations
91 in any given entity. Perhaps this is why (Soyinka, 2002) asserts that manifestation of AIDS may be different
92 from individual to individual and from countries and continent.

93 Following infection, the natural history of HIV is of progressive immuno-suppression, with the infected
94 individual passing through different stages of the disease. Thus 1) Those uninfected but at risk; 2) Asymptomatic
95 HIV-Positive individuals; 3) Early HIV disease; 4) Late disease or AIDS and the terminal stage.

96 V.

97 6 Caring for People Living with HIV/AIDS

98 Although preventing further spread of the disease is essential especially in controlling the AIDS epidemics, health
99 workers and administrators must also care for more than 36 million people already infected with the virus. In the

100 absence of cure or accessible treatment for now, providing care often means helping People Living with HIV/AIDS
101 (PLWHA) to cope with the psychological, social and physical burden of a terminal outlook.

102 There is now a general recognition that comprehensive care should be provided through all stages of infection.
103 This has become necessary in order to mitigate the impact of HIV/AIDS among People living with HIV/AIDS
104 and according to ??Wilkinson 2000), it is an essential component of prevention strategies against the disease.
105 The importance of this care and support for PLWHA lies in encouraging people to come forward for voluntary
106 counseling and testing and by doing so they can be educated on the disease transmission and how to protect
107 their sexual partners.

108 There are models to the provision of care for PLWHA which could be in form of ambulatory care, hospitalized
109 care, community care, the home-based care and the peer support group. We will briefly review one of them which
110 is community -Home Based Care. In the words of Praag et al, (??001 Year families supported by skilled social
111 welfare officers and communities to meet spiritual, material and psychosocial needs. The overall goal of CHBC
112 programmes is to prevent HIV transmissions and to reduce the impact of HIV/AIDS in individuals, household
113 and society at large. The objectives of CHBC are not only to reduce the congestion in health institutions, but
114 also to ensure a high quality of medical, nursing and social support to every person care for at home. So Home-
115 based care is now broadly taken to mean any form of care given to the sick people in their own homes. Home
116 care rooted in the community has proven more successful and more efficient than medical outreach programmes.
117 Community volunteers are trained to offer counseling, basic nursing care and practical advice about nutrition,
118 hygiene and preventive health care.

119 PLWHA need comprehensive care delivered across a continuum that extends from the home to the hospital
120 and includes community organizations as well as the formal health care system. Furthermore, a referral system
121 and consistent discharge planning links services together so that PLWHA can seek care at the most appropriate
122 level and between levels of care Osborne, ??1966).

123 Obviously, the burden of every day care falls on family members especially in the latter stages of HIV/AIDS.
124 The family care givers face a list of tasks such as helping to feed, toilet, bathing the patient, cleaning and dressing
125 sores and ulcers, administering medications and providing comfort and company. CHBC programme can give
126 them training and psychological support they need to do these jobs well, including a thorough grounding in
127 infection prevention or control. Helping families affected by AIDS to meet basic need for food, water and shelter
128 can be as important as offering nursing care and counseling. This brings us to the issue of poverty and vulnerability
129 to HIV. This implies that if the above mentioned care could not be provided due to abject poverty of the family
130 of People Living with HIV/AIDS, there may be tendency for the disease to spread through promiscuity and
131 prostitution when the basic needs for sustenance cannot be provided. This leads us to the relationship between
132 concept of poverty and HIV prevalence in Southwestern Nigeria.

133 7 VI.

134 8 Concept of Poverty

135 Various literatures seem to have agreed that poverty is a form of deprivation and it thus exists when there is
136 lack of means to satisfy critical needs. The concept may be absolute or relative. It is absolute if it expresses the
137 inability of an individual or household to consume a certain minimum of basic needs for human survival while it
138 is relative when compared with the welfare of those with the lowest means of survival in the society (Ogwumike
139 1996). In the words of Ali (1992), a family is said to be poor if it spends a very high percentage of its income on
140 basic needs such as food, clothing, housing, health care and transport with very little left for a rainy day.

141 According to Kakwani and Pernia (2000), the poor have much lower well being than the non poor because they
142 lack the resources to satisfy the minimum basic necessities of life. Furthermore, poverty is multi dimensional.
143 Thus it could be physiological deprivation, social and human freedom deprivation. These three concepts derive
144 from the attempt to determine how much poverty does exist. So, on the basis of some norm (poverty line) the
145 number of the poor (incidence) will be the total population whose per capita household expenditure is below
146 the line: the depth of a person's poverty is the average percentage by which his/her per capita expenditure falls
147 below the poverty line.

148 In Nigeria, there is no officially proclaimed poverty line; the Federal Office of Statistics has therefore selected
149 household per capita expenditure as a means of measuring poverty. The extreme poverty line is therefore one-
150 third of mean per capita household expenditure. However, it should be noted that poverty is not the same as
151 inequality. According to the World Bank in its World Development ??eport (1990), whereas inequality refers to
152 relative living standard across the whole society and poverty is concerned with absolute standard of living of a
153 part of society that is the poor. We will now consider the nexus between poverty and attack of HIV/AIDS.

154 9 VII. The Relationship Between Poverty and HIV/AIDS At- 155 tack

156 Arising from the interview of the purposive sample of 100 patients of People Living With HIV/AIDS in the
157 South Western Nigeria, it was observed that one of the cardinal conditions stated by the respondents especially
158 the young ones, is that they got infected through prostitution and promiscuous life. And when questioned

159 further why they decided to live promiscuous life, they answered that their parents were poor and there was
160 no means of livelihood for them hence they had to commercialise their sex. Some of the respondents revealed
161 that they were forced by their guardians to go into prostitution due to poor care. Not less than 70% of those
162 interviewed affirmed that unemployment, poverty, inadequate care and child abuse could explain their present
163 health predicament. In short, physical deprivation, meaning inadequate or complete absence of consumption
164 of basic needs -food, clothing, housing, other social comfort, care, education and unemployment are immediate
165 causes of poverty which forced them to go into illegal business of prostitution where they were consequently
166 infected with HIV/AIDS.

167 10 Global

168 11 Year

169 Perhaps the above empirical findings lends credence to Nigerian Federal Government Policy on Poverty Alleviation
170 and thus the policy becomes more relevant. In the course of this study it was revealed that the implementation
171 of the policy seems to have suffered a set back due to poor funding Due to macroeconomic policy distortions in
172 the early 70s, the Nigerian economy despite its vast resources, has not attained the necessary institutional and
173 structural changes that would guarantee rapid and sustainable growth and development, and acceptable minimum
174 standard of living. Furthermore, the productive and technological bases which form the prime movers of activities
175 are weak, narrow, inflexible and largely dependent on the external sector for sustenance. The economy is still
176 monolithic, dependent mostly on oil with weak sectoral linkages and high vulnerability to externally generated
177 shocks. The social and economic infrastructures are weak, inadequate and lack maintenance and the private sector
178 is weak, shies away from productive investment and oriented towards distributive activities. The effectiveness of
179 incentives to the private sector is generally poor while the productivity is low.

180 The above economic dislocations or rather distortions gave rise to unstable growth patterns and low social
181 indicators which manifested in deplorable poverty situations. The collapse of crude oil prices in the international
182 oil market in the early 1980s, coupled with unabating expansion in aggregate consumption demand plunged
183 the Nigerian economy into crisis. Consequently, the economic and social activities as well as macroeconomic
184 aggregates plummeted.

185 It is an issue of concern that despite concerted public sector efforts to redress the economic situation and
186 reverse the trend through the revision of economic management strategies, these features prevailed up to the
187 late 1990s. Arising from the fundamental defects of the economy, there was high level of unemployment, low
188 capacity utilization and inadequate local and foreign direct investments. Other undesirable features that prevailed
189 included defective or inappropriate technology and low social indicators particularly as related to education and
190 health.

191 Arising from the above, Nigeria experienced worsening poverty situation in the 1980s and 1990s. The incidence
192 of poverty rose from 46.3 percent of the population in 1985 to 65.6 percent in 1996. The depth and severity of
193 poverty as well as income inequality also worsened during the period. The rural areas and vulnerable groups,
194 especially women are affected most by the worsening situation. The uneducated people with large family size and
195 those engaged in informal sector, particularly agriculture, were among the most affected. The Nigerian situation
196 had been made worse by the rapid annual population growth rate of about 2.83 percent since the 1970s giving
197 rise to a high dependency ratio and pressure on resources in several areas NARHS ??2005).

198 In view of the above scenario, the policy on poverty alleviation becomes relevant. As earlier mentioned, poverty
199 is complex and multidimensional. It is a dynamic process of socio-economic and political deprivation which affects
200 individuals, households or communities resulting in lack of access to basic necessities of life. Conventionally,
201 poverty is viewed in terms of insufficient income for securing the basic necessities of life, that is, food, clothing
202 and shelter.

203 Specifically, poverty is a condition which has the following characteristics; that is, not having.

204 i

205 12 Policy Direction

206 In Nigeria, poverty alleviation strategies have been seen as part of general government efforts directed at economic
207 growth/development and have been pursued mainly through policies and programmes for achieving more equitable
208 distribution of income. To this end, various policies and programmes have been designed for the poor or at least
209 to reach them.

210 In the post-1986 period, programmes like National Directorate of Employment (NDE), Primary Health Care
211 (PHC) etc were put in place. With the adoption of the Structural Adjustment Programme which was prompted
212 by the worsening economic conditions in the country, palliative measures were adopted. New policies and
213 programmes were initiated and the old ones which were on the verge of collapse were being reactivated. These
214 programmes which were expected to impact positively on the poor did not achieve the set goals because they
215 were not targeted to address poverty in the real sense of it.

216 Arising from the forgoing, there was need for overall policy to guide poverty alleviation efforts in Nigeria.
217 Such National Policy is to sensitise and mobilize policy makers, the international community, Non-Governmental
218 Organisations (NGOs) and the private sector. The National Poverty Alleviation Policy thus provides the

219 framework for the actions of the various stakeholders. Thus: i. Inspire, direct and coordinate the actions of
220 institutions, individuals, groups and act as a driving force that propels the actions of stakeholders towards
221 poverty alleviation;
222 ii. Sensitise and increase awareness on the poverty situation and the dangers of wide spread poverty on
223 society; iii. Mobilize all citizens in the fight against poverty; and iv. Inform the nation of Government's position
224 on poverty.
225 IX.

226 **13 Policy Statement**

227 The government of Nigeria is fully aware of the dangers of the wide spread poverty and realizes the implications
228 of the worsening poverty situation on the utilization of resources, growth and the development of the economy.
229 The Government is fully aware of the symbiotic relationship between worsening poverty situation and slow
230 overall development. Within the context of a well articulated policy framework, well coordinated institutional
231 arrangement, effective monitoring and evaluation, the government, intends to achieve the following: Apparently,
232 the thrust of the poverty alleviation policy is to improve the living condition of the most vulnerable groups.
233 X.

234 **14 Policy Objectives**

235 The overriding objective of the poverty alleviation policy derived from the government policy statement which, is
236 to broaden the opportunities available to the poor and ensure that every Nigerian has access to basic needs of life,
237 food, potable water, clothing, shelter, basic health services and nutrition, basic education and communication as
238 well as guaranteed respect for fundamental human rights. The overall goal is improved living conditions for the
239 poor in Nigeria.

240 In order to achieve the above set objectives the following sector specific objectives are being pursued:
241 (i) Good governance and stable macroeconomic policy. (ii) Attainment of basic education for all, irrespective
242 of location, sex, religion or tribe, (iii) Facilitation of access to credit, and promote entrepreneurship through
243 income generating activities, productive resources and employment opportunities for every Nigerian irrespective
244 of sex, creed, location or tribe; (iv) Improving the living conditions of the poor through targeted, cost effective,
245 demand-driven and promptly delivered programmes, (v) Increase the productivity of the poor both in the rural
246 and urban settlement by providing opportunities for access to assets such as land and equipment. (vi) Improve
247 the participation of the poor in decisionmaking especially on issue affecting their lives, and also mobilize their
248 talents for common development project for nation building.

249 **15 Conclusion**

250 What we have attempted in this short presentation is to examine the effect of poverty on the incidence of Acquired
251 Immune Deficiency (HIV/AIDS) in South Western Nigeria.

252 In doing so, we went into review of literature on the concepts of poverty and HIV/AIDS. While the paper
253 asserts that Acquired Immunodeficiency Syndrome is for now an incurable disease and it is a contemporary major
254 global public health problem, poverty, on the other hand is defined as a dynamic process of socioeconomic and
255 political deprivation which affects individuals, households or communities resulting in lack of access to basic
256 necessities of life. An exploratory study of Living Hope Care and Support Outfit, Ilesa, Osun State was carried
257 out using purposive sampling technique (100 PLWHA) between incidence of HIV/AIDS and poverty.

258 Finally the paper considered the Federal Government National Policy on Poverty Alleviation. It concluded
259 by recommending that since, there is yet to be discovered a cure for the HIV/AIDS patients, the poverty which
260 forced the young ones to engage in prostitution and get infected by HIV should be seriously addressed with rigor
261 and political will. The National Policy on Poverty Alleviation should be faithfully and religiously implemented
262 as this will go a long way to curb further infection and reduce incidence of the incurableS disease which is ready
263 to destroy entire humanity if care is not taken.

264 **16 Global Journal of Human Social Science**

265 1 2 3 4 5

¹© 2012 Global Journals Inc. (US)

²© 2012 Global Journals Inc. (US) 20

³Incidence of Poverty and Vulnerability to Hiv/Aids Attack in South Western Nigeria 13 © 2012 Global Journals Inc. (US)

⁴Incidence of Poverty and Vulnerability to Hiv/Aids Attack in South Western Nigeria 15 © 2012 Global Journals Inc. (US)

⁵© 2012 Global Journals Inc. (US)




Figure 1:

1

- . enough to eat
- ii. poor drinking water
- iii. poor nutrition
- iv. unfit housing
- v. a high rate of infant mortality,
- vi. low life expectancy
- vii. low educational opportunities,
- viii. inadequate health care,
- ix. lack of productive assets,
- x. lack of economic infrastructure and
- xi. inability to actively participate in decision making processes. The consequential effects of the above include
 - a) state of powerlessness,
 - b) helplessness.
 - c) Despair, and thus the inability to protect oneself against economic, social, cultural and political discrimination and marginalization.
 - d) Deprivation and lack of rights
 - e) Defenselessness and insecurity, vulnerability to infection and exposure to risks, shocks and stress.

[Note: Source : Federal Office of Statistics, Poverty Profile for Nigeria: 1980 -1996.]

Figure 2: Table 1 :

XI.

D D D D)

(vii) Promote the development of better and more appropriate technologies information to farmers and other productive sectors, for adoption and commercialization. (viii) (

[Note: AYear(ix)]

Figure 3:

266 [World Bank Development Report ()] , *World Bank Development Report* 1990.

267 [Federal Ministry of Health ()] , *Federal Ministry of Health* 2003.

268 [National HIV/AIDS Reproductive Survey ()] , *National HIV/AIDS & Reproductive Survey* 2005. (Federal
269 Ministry of Health)

270 [Abuja 8. Nigerian Tribune, Tuesday 11 th December ()] *Abuja 8. Nigerian Tribune, Tuesday 11 th December,*
271 2004. 2007. Nigeria. p. 3. National Planning Commission

272 [Kofoworola ()] ‘Adolescent Sexual Risk’ in Today’s Youth, Tomorrow’s Future, Bill and Melinda Gates, Institute
273 for Population and Reproductive Health’. Odeyemi Kofoworola . *Annual Report* 2007. 2007. p. 12.

274 [Praaq and Tarantola ()] *Evaluating Care Programme for People Living with HIV/AIDS, Family Health Inter-*
275 *national/USAID*, E V Praaq , D Tarantola . 2001.

276 [Federal Office of Statistics: Poverty Profile for Nigeria ()] *Federal Office of Statistics: Poverty Profile for Nige-*
277 *ria*, 1980 -1996.

278 [Orubuloye ()] *Health Seeking Behaviour in Nigeria*, I Orubuloye , AjakaiyeD . 2002. Ibadan. Nigerian Institute
279 and Economic Research (NISER)

280 [Soyinka ()] *Healthcare System in Nigeria, Experience as a Teacher, Researcher and Career, Ile-Ife*, F Soyinka .
281 2002. Press Ltd. Obafemi Awolowo University

282 [Akinrinola ()] ‘Sexual Behaviour, Knowledge and Information’. B Akinrinola , AnnB . *African Journal of*
283 *Reproductive Health* 2004.

284 [The National Health Policy and Strategy to achieve Health for All Nigerians, Federation Ministry of Health Lagos Federal Gover-

285 ‘The National Health Policy and Strategy to achieve Health for All Nigerians, Federation Ministry of Health
286 Lagos’. *Federal Government of Nigeria* 1988.

287 [World Health Organisation: (1987) Eighth General Programme of Work] *World Health Organisation: (1987)*
288 *Eighth General Programme of Work*, (Year 1)